

COLLEGE STATION I.S.D.  
9304 ROCK PRAIRIE ROAD COLLEGE STATION, TX. 77840  
(979) 764-5408

**PURCHASING OFFICE**

**INTER-DEPARTMENTAL MEMO**

TO: Mike Martindale  
SUBJECT: Purchase of Special Needs School Buses  
DATE: December 7, 2018

The Special Services Department has funds available to purchase two special needs school buses for the district. The Transportation Department has reviewed the models for the purchase of these buses for the district and quotes were requested from three vendors for two 2020 (53) passenger buses with air conditioning and lift.

Longhorn Bus Sales	\$217,328.00
Rush Truck Centers	\$221,460.00
Thomas Built Buses	\$200,790.00

School buses are available through the BuyBoard Contract #549-17. The Texas Local Government Statewide Purchasing Cooperative (Buy Board) has awarded Contract #549-17 to these vendors for School Buses, Options and Parts. The district is a member of this cooperative, which is administered by TASB. All items on the Buy Board have been competitively bid and awarded by the Cooperative's Board of Trustees based on state statutes.

Purchasing these buses from Longhorn Bus Sales will allow the district to continue the standardization of their fleet. This will minimize additional costs for maintenance, software and additional parts inventory. It is the recommendation of Mark Pantel, Director of Purchasing and Hector Silva, Director of Transportation to purchase two (2) International (53) passenger special needs buses from Longhorn Bus Sales for a total of \$217,328.00 per BuyBoard Contract #549-17 using federal funds.

  
\_\_\_\_\_  
Mark Pantel, Director of Purchasing

  
\_\_\_\_\_  
Hector Silva, Director of Transportation



---

---

---

---

# **INTEGRATED CE S BUS**

**Sales Proposal For:  
College Station**

**Presented By:  
LONGHORN BUS SALES**

---

November 13, 2018

Prepared For:  
College Station  
MATT BEAL  
1812 Welsh  
College Station, TX 77840-  
(979)764 - 5408  
Reference ID: 2-54Cmns2204wc

Presented By:  
LONGHORN BUS SALES  
LINDA BLUME  
8921 HOMESTEAD ROAD  
HOUSTON TX 77028 -  
(713)631-9306

Thank you for the opportunity to provide you with the following quotation on a new IC Corporation vehicle. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.

**Model Profile**  
**2020 INTEGRATED CE S BUS (PB105)**

<b>APPLICATION:</b>	School Transportation, Special Needs
<b>MISSION:</b>	Requested GVWR: 29800. Calc. GVWR: 29800 Calc. Start / Grade Ability: 22.20% / 1.75% @ 55 MPH Calc. Geared Speed: 76.9 MPH
<b>DIMENSION:</b>	Wheelbase: 217.00, CA: N/A, Axle to Frame: 126.00
<b>ENGINE, DIESEL:</b>	{Cummins B6.7 220} EPA 2017, 220HP @ 2400 RPM, 520 lb-ft Torque @ 1600 RPM, 2600 RPM Governed Speed, 220 Peak HP (Max), School Bus Only
<b>TRANSMISSION, AUTOMATIC:</b>	{Allison 2500 PTS} 5th Generation Controls, Wide Ratio, 5-Speed with Overdrive, Less PTO Provision, Less Retarder, with 33,000-lb GVW and GCW Max, School Bus
<b>CLUTCH:</b>	Omit Item (Clutch & Control)
<b>AXLE, FRONT NON-DRIVING:</b>	{Navistar Select} I-Beam Type, 10,000-lb Capacity
<b>AXLE, REAR, SINGLE:</b>	{Navistar Select} Single Reduction, 19,800-lb Capacity, 190 Wheel Ends Gear Ratio: 4.88
<b>TIRE, FRONT:</b>	(2) 255/70R22.5 Load Range H AH37 (HANKOOK), 562 rev/mile, 75 MPH, All-Position
<b>TIRE, REAR:</b>	(4) 255/70R22.5 Load Range H AH37 (HANKOOK), 562 rev/mile, 75 MPH, All-Position
<b>SUSPENSION, REAR, AIR, SINGLE:</b>	{International IROS} 21,000-lb Capacity, 9.25" Ride Height, with Shock Absorbers
<b>PAINT:</b>	Cab schematic 100NB Location 1: 4421, School Bus Yellow (Std) Chassis schematic N/A

**Vehicle Specifications**  
**2020 INTEGRATED CE S BUS (PB105)**

November 13, 2018

<u>Code</u>	<u>Description</u>
PB10500	Base Chassis, Model INTEGRATED CE S BUS with 217.00 Wheelbase, N/A CA, and 126.00 Axle to Frame.
1570	TOW HOOK, FRONT (2) Frame Mounted
1CAC	FRAME RAILS High Strength Low Alloy Steel (50,000 PSI Yield); 10.125" x 3.062" x 0.312" (257.2mm x 77.8mm x 8.0mm); 480.1" (12195mm) Maximum OAL  <u>Includes</u> : CHASSIS PAINT Chassis Painted Prior to Body Mounting : FRAME RAILS All holes Laser Aligned and Machine Punched, Powder Coated Prior to Full Assembly, Assembled in Fixture using "Grade 8" Bolts : FRAME REINFORCEMENT, SPECIAL 3.30" x 1.80" x 0.312" x 31.50" Inverted "L" in Front Shock Absorber Mounting Area
1LLE	BUMPER, FRONT Full Width, Aerodynamic, Heavy Duty, Steel  <u>Includes</u> : BUMPER, FRONT THICKNESS 1/4 Inch
1LNT	CROSSING GATE, FRONT Omit Item  <u>Includes</u> : CROSSING GATE, FRONT Matches Contour of Bumper
1SAM	CROSSMEMBER, REAR, AF (2)
1WHT	WHEELBASE RANGE 193" (490cm) Through and Including 217" (550cm)
2AUT	AXLE, FRONT NON-DRIVING (Navistar Select) I-Beam Type, 10,000-lb Capacity
3ADB	SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 10,000-lb Capacity, with Shock Absorbers  <u>Includes</u> : SPRING PINS Bolt and Nut Type : SPRING PINS Rubber Bushings, Maintenance-Free  <u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications  <u>Includes</u> : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : PARKING BRAKE VALVE For Truck : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SLACK ADJUSTERS, FRONT Automatic (with Air Cam Brakes) : SLACK ADJUSTERS, REAR Automatic (with Air Cam Brakes) : SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4/8x6  <u>Notes</u> : Rear Axle is Limited to 19,000-LB GAWR with Code 04091 BRAKE SYSTEM, AIR and Code 04NDC BRAKES, REAR, AIR CAM Regardless of Axle/Suspension Ordered : Rear Axle is Limited to 20,000-LB GAWR with Code 04092 BRAKE SYSTEM, AIR and Code 04NCW BRAKES, REAR, AIR CAM Regardless of Axle/Suspension Ordered
4722	DRAIN VALVE (Bendix DV-2) Automatic, with Heater, for Air Tank  <u>Includes</u> : DRAIN VALVE Mounted in Wet Tank

**Vehicle Specifications**  
**2020 INTEGRATED CE S BUS (PB105)**

November 13, 2018

<u>Code</u>	<u>Description</u>
4AZS	AIR BRAKE ABS {Bendix AntiLock Brake System} with Electronic Stability Program (4-Channel; 4 Sensor/4 Modulator) with Automatic Traction Control
4EBS	AIR DRYER {Bendix AD-9} with Heater
4EXP	BRAKE CHAMBERS, FRONT AXLE {Bendix} 20 SqIn
4EXU	BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 Spring Brake
4JCH	BRAKES, FRONT, AIR CAM S-Cam; 15.0" x 5.0"; Includes 20 Sq. In. Long Stroke Brake Chambers
	<u>Notes</u> : Front Axle with 14,000-lb GAWR is Limited to 13,200-lb GAWR when used in Conjunction with 15" BRAKES, FRONT, AIR CAM.
4NDB	BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake
	<u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.
4SPA	AIR COMPRESSOR {Cummins} 18.7 CFM Capacity
4VCY	AIR TANK LOCATION (1) Mounted Left Side to Provide Clearance for Larger Body Builder Supplied Battery Box
4WEA	PARKING BRAKE INTERLOCK Parking Brake Cannot be Released until Ignition Switch is in the "ON" Position and the Service Brake Pedal is Applied, Use with air brake chassis only.
4WZT	GVWR LIMITATION FOR BUS with Air Brakes, Limited to 33,000-lbs Maximum to meet FMVSS 121 Requirements, for Conventional Bus
5708	STEERING COLUMN Tilting
5CAL	STEERING WHEEL 2-Spoke, 18" Dia., Black
5PSA	STEERING GEAR {Sheppard M100} Power
7BLA	EXHAUST SYSTEM Single, Horizontal Aftertreatment Device, Frame Mounted Under Right Rail, for Long Horizontal Tail Pipe
	<u>Includes</u> : NOTE: The Horizontal Tailpipe Includes a Temperature Control Device
7WBL	TAIL PIPE Long Horizontal, Exits Left Side Through Bumper
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment
	<u>Includes</u> : FUSES, ELECTRICAL SAE Blade-Type : HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : MISCELLANEOUS FEATURES Modular, Loom Protected, Grommets in all Applicable Body Openings, Assembled in Computer Assisted Fixture which Verifies Continuity and Correct Assembly Prior to Installation : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : STARTER SWITCH Electric, Key Operated : TURN SIGNAL FLASHER : TURN SIGNAL SWITCH Self-Cancelling with Lane Change Feature : TURN SIGNALS, FRONT Includes Reflectors; Flush Mounted : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever : WIRING, CHASSIS Color Coded and Continuously Numbered

**Vehicle Specifications  
2020 INTEGRATED CE S BUS (PB105)**

**November 13, 2018**

<u>Code</u>	<u>Description</u>
8GXK	ALTERNATOR (Leace-Neville BLP4006HN) Brushless, 12 Volt 325 Amp. Capacity, Pad Mount, with Remote Sense
8MSG	BATTERY SYSTEM (Fleetrite) Maintenance-Free, (3) 12-Volt 1980CCA Total
8TTK	BATTERY BOX Steel, with Sliding Tray, 25.25" Wide, for Standard Batteries, Mounted Left Side Behind Front Axle Perpendicular to Frame Rail
8TUT	COLLISION MITIGATION SYSTEM Omit
8VAZ	HORN, ELECTRIC (2) Trumpet Style, Mounted on Top of Mega-Bracket
8WPB	HEADLIGHTS Halogen; Composite Aero Design for Two Light System; Includes Daytime Running Lights
8WWJ	INDICATOR, LOW COOLANT LEVEL with Audible Alarm
8WXB	HEADLIGHT WARNING BUZZER Sounds When Head Light Switch is on and Ignition Switch is in "Off" Position
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses
8XKL	STARTING MOTOR (Mitsubishi Electric Automotive America 90P47) 12-Volt, with Soft-Start
9AAE	LOGOS EXTERIOR, ENGINE Badges
9WAB	HOOD TILT ASSIST (EASY TILT) Mechanical
9WAY	FRONT END Tiling, Fiberglass, with Three Piece Construction
	<u>Includes</u>
	: AIR INTAKE SYSTEM Integrated Pre-Cleaning System to Enhance Air Filter Life
	: GRILLE Removable; Fiberglass Painted Hood Color
	: SPLASH SHIELD Integral with Front End Assembly
10020	CHASSIS PAINT Full Chassis
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100
	<u>Includes</u>
	: PAINT SCHEMATIC ID LETTERS "NB"
10788	PAINT TYPE Urethane, One or Two Colors, Other than Imron or International.
10AAV	OVER THE AIR PROGRAMMING (Navistar) for Cummins Engines
10XAJ	PROMOTIONAL PACKAGE LED EXT (Sound Off) LED Lights
10XAK	PROMOTIONAL PACKAGE 7 Year Unlimited Miles/km Warranty, Limited Time Program for Allison 2000 Series Transmission on School and Commercial Buses (Supplied directly through Allison)
11001	CLUTCH Omit Item (Clutch & Control)
12703	ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection
12EJJ	ENGINE, DIESEL (Cummins B6.7 220) EPA 2017, 220HP @ 2400 RPM, 520 lb-ft Torque @ 1600 RPM, 2600 RPM Governed Speed, 220 Peak HP (Max), School Bus Only
	<u>Includes</u>
	: FUEL FILTER Included with Cummins B6.7 Engines Engine Mounted
	: FUEL/WATER SEPARATOR Fuel/Water Separator; Heated; with Water-in-Fuel Sensor. Engine Mounted
12TSY	FAN DRIVE (Borg-Warner SA85) Viscous Type, Screw On
	<u>Includes</u>
	: FAN Nylon
12UGN	THROTTLE, HAND CONTROL Electronic
	<u>Notes</u>

**Vehicle Specifications**  
**2020 INTEGRATED CE S BUS (PB105)**

November 13, 2018

<u>Code</u>	<u>Description</u>
	: Cruise Control Switches Mounted on Steering Wheel are Non-Illuminated.
12UYE	RADIATOR Aluminum; 2-Row, Cross Flow, Over Under System, 717 SqIn Louvered, with 313 SqIn Charge Air Cooler, with In-Tank Transmission Cooler
	<u>Includes</u> : DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber
12VBR	AIR CLEANER with Service Protection Element
	<u>Includes</u> : GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted
12VGY	FEDERAL EMISSIONS (Cummins B6.7) EPA, OBD and GHG Certified for Calendar Year 2019
12VVN	CRUISE CONTROL Electronic
	<u>Notes</u> : Cruise Control Switches Mounted on Steering Wheel are Non-Illuminated.
12VWH	GOVERNOR Electronic Road Speed Type; for Electronic Engines and Bus Models; with 55 MPH Default
12VYV	IDLE MANAGEMENT SYSTEM Ramp Engine Speed with Air Condition On, in Neutral and Parking Brake Set, Accommodation Package
12WZE	EMISSION COMPLIANCE Federal, Does Not Comply with California Clean Air Idle Regulations
13ART	TRANSMISSION, AUTOMATIC (Allison 2500 PTS) 5th Generation Controls, Wide Ratio, 5-Speed with Overdrive, Less PTO Provision, Less Retarder, with 33,000-lb GVW and GCW Max, School Bus
	<u>Includes</u> : OIL FILTER, TRANSMISSION Mounted on Transmission : TRANSMISSION OIL PAN Magnet in Oil Pan
13WLN	TRANSMISSION OIL Synthetic; 20 thru 28 Pints
13WYY	SHIFT CONTROL PARAMETERS Allison 1000 or 2000 Series Transmissions; 5th Generation Controls, Performance Programming
14AJU	AXLE, REAR, SINGLE (Navistar Select) Single Reduction, 19,800-lb Capacity, 190 Wheel Ends, Gear Ratio: 4.88
14TBS	SUSPENSION, REAR, AIR, SINGLE (International IROS) 21,000-lb Capacity, 9.25" Ride Height, with Shock Absorbers
	<u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.
14WAW	FLAT FLOOR EFFECTS for Air Suspension; with Conventional Bus Models
15SBZ	FUEL TANK Top Draw, Steel, Rectangular, 65 US Gal (246L), Includes Protective Cage, with Fuel Filler Assembly and Vent Hosing, Mounted Between Frame Rails and Behind Rear Axle
	<u>Notes</u> : Requires 217" WB Minimum
15WDT	DEF TANK 12 U.S. Gal. 45.4L Capacity, Frame Mounted Outside Right Rail, Behind 0 Bow
16010	COWL Flat Back
16HBA	GAUGE CLUSTER English with English Electronic Speedometer
	<u>Includes</u>

**Vehicle Specifications**  
**2020 INTEGRATED CE S BUS (PB105)**

November 13, 2018

<u>Code</u>	<u>Description</u>
	: GAUGE CLUSTER (5) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible)
16HGH	GAUGE, OIL TEMP, AUTO TRANS for Allison Transmission
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster
16HLJ	GAUGE, DEF FLUID LEVEL
27DUW	WHEELS, FRONT (Accuride 51408) DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
28DUW	WHEELS, REAR (Accuride 51408) DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
29580	WHEEL SEALS, FRONT (International) Oil-Lubricated Wheel Bearings
47AEU	BODY, BUS Conventional; 78" Headroom, 26'8" Body Length, +9 Section Front and Rear, 54 Passenger, 217/218 WB
47AJA	BODY CERTIFICATION TAG Metal
47AJC	BODY TAG, METAL Capacity to include the Total Number of Passengers
47AKK	STEP, FRONT ENTRANCE DOOR 25 3/4" Depth; 14ga Steel <u>Includes</u> : STEP, FRONT ENTRANCE DOOR OPENING; 35 inch Width; Continuous Bottom to Top
47AKZ	DECAL, HANDICAP (4) 6" x 6", 1 Mounted on Electrical Access Door, 1 Mounted on Lift Door Below Window Line, 1 on Left Bumper, 1 on Rear Door Between Top and Bottom Glass
47AMA	FASTENERS, EXTERIOR MOUNTED Stainless Steel Screws; for Fender and Body Exterior Rear View Mirrors, Bumper Mounted Crossing Gate and Body Mounted Stop Arm
47APJ	BODY RATING TAG Metal; for State of Texas, Includes Design Capacity and Seat Capacity
47APR	HEADLINER, BODY Conventional; 25'11"-34'11" Body Length, Perforated Full Length with Sound Insulation Full Length
47APX	FASTENERS, HEADLINER Screws
47ARH	BOWS, ROOF 14 ga., One Piece Construction <u>Includes</u> : BOWS, ROOF Positioned Floor Line to Floor Line, Threaded Through Roof Strainers and Drip Rail
47ARP	LIGHT BARS Plastic
47ASG	SKIRT, BODY for Conventional, 14 1/2", 16ga <u>Includes</u> : SKIRT, BODY Extra Smooth Steel Supported by Floor Gussets
47AUR	TIE DOWNS, BODY Grade 8 Bolts, Every Body Section <u>Includes</u> : TIE DOWNS, BODY with Formed Tab that Fits into Floor Structure to Prevent Turning
47AXR	RUB RAILS, BODY (4) Conventional; Steel, 25'2", 25'11", 26'8", 27'5" Body Length, Includes Snow Rail <u>Includes</u> : RUB RAILS Full Length, Primer Coated (Both Sides), Attached to Body without Cuts or Splices



**Vehicle Specifications**  
**2020 INTEGRATED CE S BUS (PB105)**

November 13, 2018

<b>Code</b>	<b>Description</b>
47AYB	BODY, REAR Includes Emergency Door  <u>Includes</u> : DOOR, REAR EMERGENCY with Concealed Hinges : HEADER BUMPER Padded, Mounted Over Rear Door; Upholstered to Match Passenger Seat Color
47AZC	SIDE SHEET, BODY, EXTERIOR Conventional, 16ga., Smooth, 25'2", 25'11", 26'8", 27'5", Body Length
47AZK	FLOOR, BODY Flat
47BAR	SUPPORTS, REAR BUMPER Bolted to Frame
47BAU	BUMPER, REAR Painted; 12" High, 3/16" Thick, with 7" Hole for Exhaust
47BAW	TOW HOOK, LEFT REAR (01)
47BAX	TOW HOOK, RIGHT REAR (01)
47BBH	LINING, SIDE INTERIOR, LOWER Embossed Steel, Clear Coated
47BEX	SEALER Water-proof Sealer on all Floor Covering Seams
47BKK	LETTERS, SCHOOL BUS FRONT/REAR Decal; "SCHOOL BUS"; with 8" Black Reflective Letters, 3M Fluorescent Diamond Grade, Yellow On Front and Rear Cap
47DAJ	COVER, REAR DOOR INSIDE HANDLE Partial Coverage
47DAK	FASTENERS, REAR DOOR Bolts and Nutserts, Rear Door To Body
47DBP	DOOR, ENTRANCE, FRONT Air, Outward Opening, with Split Pane Glass
47DCW	HANDLE, EXTERIOR, LIFT DOOR Single Door, Yellow
47DDE	HANDLE, ASSIST, ENTRANCE DOOR Outside Entrance
47DDH	HOLD BACK, REAR DOOR Stationary, No Cables, with Plastic Cover
47DDR	LATCH, LIFT DOOR Single, Three Point Slide Bar
47DDU	LATCH, REAR DOOR One Point Slide Bar, Cam Operated, with One Inch Stroke
47DEK	LOCK, VANDAL, REAR DOOR with Ignition Starter Interlock
47DEV	LOCK, VANDAL, SINGLE LIFT DOOR with Ignition Starter Interlock
47DEY	HANDLE, EXTERIOR, REAR Emergency Door; Yellow
47DNK	SWITCH, LOCATION Steering Wheel; Includes Master Flasher, Flasher On/Off, Red Override, and Door Control  <u>Includes</u> : SWITCH, STEERING WHEEL, LIGHT Includes Illuminated Switches
47DWP	DOOR, LIFT Single, 43" x 69.79", Mounted Aft of Rear Wheel Pocket, with 78" Headroom
47DXG	FASTENERS, HANDRAIL Plusnuts & Screws
47EBM	HOLD DOWN, BATTERY For (2) Standard Size Batteries
47ECS	COMPARTMENT, TOOL, FWD LEFT Aft of Standard Battery Box, Key Lock, 13"x 15"x 25 1/2"
47EXK	LOCK, VANDAL, ENTRANCE DOOR Integrated Manual Control in Door, with Key
47KDC	MONITOR, POST TRIP INSPECTION (Leave No Student Behind) Accessory Controlled, with Push Button Alarm Disable at Rear of Bus Prompts Driver to Walk to Back of Bus and Push Button in Light Bar to Deactivate System
47LAR	NOISE REDUCTION, ROOF BOW Conventional; Insulation, 25'2", 25'11", 26'8", 27'5" Body Lengths

**Vehicle Specifications**  
**2020 INTEGRATED CE S BUS (PB105)**

November 13, 2018

<u>Code</u>	<u>Description</u>
47LAU	INSULATION, ROOF AND SIDES 1.50", All Models
47MAV	LETTERS, SCHOOL BUS SIDE Decal; "SCHOOL BUS"; in 8" Reflective Black Letters, Each Side
47MBA	UNDERCOAT, BODY Fire Resistant, Water Based, TT-C-730 Spec  <u>Includes</u> : UNDERCOATING Performed Before and After Mounting on Chassis
47MBC	INSULATION, STEPWELL
47MJR	LETTERS, DOOR, REAR Decals; "EMERGENCY DOOR", 2" Black Letters Inside and Outside
47MNT	ARROW, RR DOOR, INSIDE Decal; Red, .75" Stroke, Indicating Handle Direction
47MNV	ARROW, RR DOOR, OUTSIDE Decal; Black .75" Stroke, Indicating Handle Direction
47MRU	LETTERS, E/E WINDOW, LEFT (2) Decal Sets, "EMERGENCY EXIT", Black Inside and Outside
47MTY	WIRING DIAGRAM Schematic, Electrical  <u>Includes</u> : ACCESS PANEL for Wiring Diagram Schematic Located on Body Exterior; Below Driver Window
47MVA	LETTERS, HEADER Decal; "WATCH YOUR STEP", 1" Black, Above Windshield
47MVC	LETTERS, STEPWELL Decal, "WATCH YOUR STEP", 2.5" Black, Behind Door on Step Riser
47NAB	PAINT COLOR, RUB RAILS 0001 Canyon Black
47NGP	LETTERS, FUEL I.D. Paint; "DIESEL FUEL", 2" Black, Adjacent to Fuel Filler Door
47NGW	SEAL, RUB RAILS Top Edge, All Rails
47NHL	LETTERS, E/E WINDOW, RIGHT (2) Decal Sets, "EMERGENCY EXIT", Black, Inside and Outside
47NJA	PAINT COLOR, BODY EXTERIOR 4421 School Bus Yellow
47NJM	PAINT FLASHER BACKGRD 0001 Canyon Black
47NJS	PAINT COLOR, BUMPER Rear; 0001 Canyon Black
47NKD	PAINT COLOR, ROOF 9219 Winter White, Beginning 5" Above Drip
47NKL	PAINT, RUB RAIL Flange to Flange
47NKM	PAINT COLOR, BODY INTERIOR 9384 Spring White
47NMG	OPERATING INSTR, REAR Decal, Inside Rear Emergency Door
47NTE	LOGO, ROOF LINE Decal; Wing and Shield, First Body Section, Above Driver Window and Entrance Door Over Driver Window and Entrance Door
47NTY	PAINT HOOD AND FENDER To Match Body Exterior
47NWH	STRIPING, ROOF HATCH, REAR Decal, Perimeter, 1", Yellow, 3M Fluorescent Diamond Grade
47NWI	STRIPING, SEATLINE (3M) 2" Yellow, Fluorescent Diamond Grade
47NWR	STRIPING, REAR END (3M) 2" Yellow Fluorescent Diamond Grade
47NWT	STRIPING, ROOF HATCH, FRONT (3M) Decal, Perimeter, 1", Yellow Fluorescent Diamond Grade
47NWW	STRIPING, E/E WINDOW, RIGHT (02) Perimeter, 1" 3M Yellow Fluorescent Diamond Grade
47NXH	STRIPING, E/E WINDOW, LEFT (3M) (02) Perimeter, 1" Yellow Fluorescent Diamond Grade
47NXN	STRIPING, PERIMETER, REAR Emergency Door; 1" Wide, 3M Fluorescent Diamond Grade, Yellow

**Vehicle Specifications  
2020 INTEGRATED CE S BUS (PB105)**

November 13, 2018

<u>Code</u>	<u>Description</u>
47PBZ	HANDLE, ASSIST Windshield Side Mounted, Left and Right, Body Color
47PLX	LETTERS, DEF, I.D. Decal; "DEF ONLY", 1" Black, on DEF Filter Door
47SAZ	SUB FLOOR, PLYWOOD Conventional; B-B Marine Grade, Less Sealed Edges, 5/8", 5 Ply, for 25'2", 25'11", 26'8" or 27'5" Body Lengths
47SPC	ALPHA/NUMERIC DECAL GUIDE Quantity 031-40
48ACN	SEAT BELT, DRIVER, COLOR with Blaze Orange Seat Belt Webbing
48ANE	WINDOW, ENTRANCE DOOR, TOP Laminated, Clear
48ANM	WINDOW, ENTRANCE DOOR, BOTTOM Laminated, Clear
48ANT	WINDOW, DRIVER Laminated, Clear
48APL	WINDOW, STOPS 12" Opening, Only with 78" Headroom
48ARD	WINDOW, SASH (9) 27" Sections, 9"x 23" Opening
48ASR	WINDOW, SASH +9 SECTIONS (3) 9" x 32 1/4" Opening
48AUL	WINDOW, PASSENGER, TINT Conventional; 28% Light, Laminated Glass, 78" Headroom, with 25'2", 25'11", 26'8", 27'5" Body Lengths
48BAH	WINDOW, E/E, LEFT (2) Vertical Hinge
48BJA	COLOR, WINDOW FRAME, PASS Passenger Window, Natural Aluminum Finish
48BKP	WINDOW, E/E, RIGHT (2) Vertical Hinge
48GHC	HEATER, DRIVER 90,000 BTU, with Defroster and without Rear Heat Duct
	<u>Includes</u>
	: AIR FILTER
	: HEATER HOSES Premium
	: HOSE CLAMPS, HEATER HOSE Mubea Constant Tension Clamps
48GJN	SEAT, TRACK, RT, 39", 6 LEG (IMMI Seats) (02) High Back, with 3 Point Seat Belts
48GJX	SEAT, TRACK, LT, 39", 6 LEG (IMMI Seats) (02) High Back, with 3 Point Seat Belts
48GYV	HEATER, DEFLECTOR Kit, for Driver Heater
48NAT	FITTINGS, AIR SEAT for Driver Seat
48PAM	WINDSHIELD 3 Flat Pieces, 73% Light, with Band
48PAY	AISLE POSITION Center, for balanced seating
48PBD	FLOOR COVERING, COLOR Brown
48PHG	UPHOLSTERY, PASS SEATS, TYPE Prevaill, 42 oz.; for (11-12) Seats
48PJR	FLOOR COVERING, TRIM Aluminum
48PJZ	FLOOR COVERING, TYPE (Koroseal) All Body Lengths
48PKC	HOSE CLAMPS, HEATER HOSE Constant Torque for Heater System
48PNW	HEATER, WATER PUMP (2 MPU 12) Self Priming, with Plastic Housing
48PPM	HEATER CUT OFF, VALVE Ball, with Butterfly Handle
48PPP	HEATER CUT OFF, VALVE INSIDE Brass Ball, Inside Forward of Driver Heater
48PPS	ROOF VENT, FRONT Static

**Vehicle Specifications**  
**2020 INTEGRATED CE S BUS (PB105)**

November 13, 2018

<u>Code</u>	<u>Description</u>
48PUT	NUTS, BELT MOUNTING Standard Nuts For Seat Belt Mounting
48PVA	UPHOLSTERY, DRIVER SEAT, STYLE Plain, with Cloth Insert
48PVM	UPHOLSTERY, DRIVER SEAT, COLOR Drivers Seat, Blue
48PWC	UPHOLSTERY, PASS SEATS, COLOR Blue, for Seats, Barriers and Head Bumpers
48PWR	UPHOLSTERY, DRIVER SEAT, TYPE Prevall, 42 oz.
48PXP	UPHOLSTERY, BARRIER, TYPE (1-2) Prevall, 42 oz.
48RAE	BARRIER, CRASH, AFT ENTRY DOOR 39", 1 Leg
48RAL	BARRIER, CRASH, AFT DRIVER 39", 1 Leg
48RDL	FAN, DEFOG LEFT OF DRIVER 6.50" Diameter, Black, Mounted Left of Driver Above Windshield, 2 Speed Switch in Panel
48RGE	HAND RAIL, ENTRANCE DOOR, FWD Stainless Steel, Curved
48RGR	HAND RAIL, ENTRANCE DOOR, AFT Stainless Steel, 4", Above Step
48RLX	CUSHION, SEAT 15" Depth
	<u>Includes</u> : WARRANTY Four Years
48RRA	UPHOLSTERY, SEAT, STITCHING Single
	<u>Includes</u> : WARRANTY Two Years
48RYW	SEAT, DRIVER (National 2000) Air Suspension, High Back with Integral Headrest, Isolated, with 2 Position Front Cushion Adjustment, 6 to 17 Degree Seat Back Adjustment, Mechanical Lumbar Support, Includes Additional Back Padding
	<u>Includes</u> : SEAT BELT, DRIVER Adjustable D-Loop Seat Belt, Single Locking Retractor
48RZJ	STEP TREADS (KoroSeal) Pebble Top with White Nosing, with Non-Metal Backing
48UCP	ROOF HATCH, FRONT (Transpec 1975-028-121-03) with Outside Release, with English Decals
48UCR	ROOF HATCH, REAR (Transpec 1975-028-121-03) with Outside Release, with English Decals
48USV	SEAT BACK, PASSENGER High Back
48UYC	HEATER, REAR WALL, RT SIDE 80,000 BTU, Bergstrom
48YGS	SEAT,3PT,CHILD,RT,TRK,36"5 LEG (IMMI Seats) (04) High Back, with 3 Point Seat Belts, Child Restraint
48YHS	SEAT,3PT,CHILD,LT,TRK,36"5 LEG (IMMI Seats) (03) High Back, with 3 Point Seat Belts, Child Restraint
49AGE	STOP ARM, FRONT (Specialty 2900) Air, 18" Octagon, Double Sided, 1/2" White Border, Scotchlite HI Intensity Grade, Flashing Red Lights
49AJH	CONNECTION, LIGHTS Cluster, Clearance and Side Marker To Tail Lights
49AKM	STOP ARM, LEFT REAR (Specialty 2901) Air, 18" Octagon, Single Sided, 1/2" White Border, Scotchlite HI Intensity Grade, Flashing Red Lights
49AMD	SWITCH, DRIVER PANEL, TYPE Rocker
49AMJ	ALARM, BACKING (Ecco #575) 107 db
49AMT	CIRCUIT, PROTECTION Breakers, Manual Reset in Lieu of Fuses

**Vehicle Specifications**  
**2020 INTEGRATED CE S BUS (PB105)**

November 13, 2018

<u>Code</u>	<u>Description</u>
	<u>Includes</u> : ACCESS PANEL for Body and Chassis Fuses/Circuit Breakers Located on Body Exterior; Below Driver Window
49AMY	SWITCH, REAR DOOR BUZZER for Emergency Door
49ANH	SWITCH, MAGNETIC, DISCONNECT Master, Ignition Operated, All Body Circuits
49ANU	SOURCE, POWER 12 VDC, Mounted On Dash
49APA	LIGHT, DRIVER, CEILING Deluxe, with Separate Switch, Mounted in Light Bar
49APV	LIGHT, LIFT DOOR, INTERIOR Above Lift Door, with Door Operated Switch
49APX	LIGHTS, DOME Conventional; Two Full Rows Rectangular Recessed Dome Lights, 25"2", 25"11", 26"8", 27"5" Body Length  <u>Includes</u> : WIRING HARNESS Main Body Wiring Harness Accessed by Removing Dome Light
49ATJ	LIGHT, INDIC, LIFT DOOR Amber, Flashing, Located in Driver Area
49BCN	FLASHER SYSTEM (8) Warning Lights, 8-Lamp System, Electronic Relay Flasher, Non-Sequential Operation, Red Lights Activate with Door Open
49BCR	LIGHT, EXTERIOR, CHECK Automatically Activates Lights for Pre Trip Inspection
49BLL	WIRING, VIDEO SYSTEM Power and Ground Connection Only; Connection in Flasher Plate Area with 20 Amp Fuse Protection
49BUS	WIRING, WARNING LIGHTS (8) for 7" Red Warning Lights, Alternately Flashing, 2 Front, 2 Rear, Red Warning Lights to Operate When Lift Door is Open and Master Flasher Switch is "ON"
49BXN	SWITCH, RED, OVERRIDE WARNING Wired Hot, with ESC, Mounted Left of Driver
49BYT	LIGHTS, STOP (2) {Sound Off} and Tail; 7" Round LED, Red
49BYV	LIGHTS, MARKER, FRONT, REAR {Sound Off} Rectangular LED, Armored, (8) Four Amber Front and Four Red Rear
49BYZ	LIGHTS, DIRECTIONAL, REAR (2) {Sound Off} LED, 7" Round Amber LED
49DAG	LIGHT, INDIC, WARNING LIGHTS LED Type; Red and Amber
49DBR	HOOD, WARNING LAMP (4) Black, 8-Lamp System, One Hood Above Two Lights
49EAW	LIGHTS, MARKER, SIDE {Sound Off} Rectangular LED, Armored Type, Intermediate, Centered; Required for Units 30 Foot or Longer
49EBA	KIT, FIRST AID Plastic; 24 Unit, Spec State
49EGB	MIRROR, INSIDE 10" x 30", Clear
49EGL	MIRROR, CROSS VIEW, EXTERIOR Black, Rosco, Pair  <u>Includes</u> : MIRROR MOUNT Attached to Body with Metal Backing Plates
49EJC	MIRROR, REAR VIEW, EXTERIOR {Rosco} 7" x 6" Lower Section, Breakaway Bracket, Motorized Head, Heated, Black
49ENK	VISOR, INTERIOR, LEFT FRONT 6" x 30", Transparent, For Left Windshield
49EPY	CUTTER, SEAT BELT (2) {TIE TECH Safecut} for Cutting Seat Belts
49EVL	SWITCH, NOISE SUPPRESSION Actuator Legend States, "NOISE SUPP", for Separate Solenoid, with Red Switch in Panel

**Vehicle Specifications  
2020 INTEGRATED CE S BUS (PB105)**

November 13, 2018

<u>Code</u>	<u>Description</u>
49EZC	CUTTER, SEAT BELT, LOCATION (2) Centered on Inside of Driver Compartment Lid
49GAY	KIT, BODY FLUID Texas
49GBV	WINDSHIELD WIPERS (2) Cowl Mounted
	<u>Includes</u> : WINDSHIELD WIPERS CONTROL Single Motor, Overlapping Wipe Pattern
49GDG	PADDING COMPART ABOVE DRIVER Window; Safety Equipment, Vandal Equip Compartment with Cutout for dome light
49GDS	COMPARTMENT ABOVE DRIVER Left of the Driver
	<u>Includes</u> : COMPARTMENT ABOVE DRIVER Compartment Size: 39" x 10" x 10" : HINGES Piano Type
49GEH	SAFETY TRIANGLES Warning Reflectors, Mounted on Drivers Barrier Level with Top of a Modesty Shield
49GGE	FIRE EXTINGUISHER, DRIVER AREA 5 lb 2A-40BC Minimum with Flexible Hose and Metal Nozzle
49GGW	FIRE BLANKET Deist, In Storage Container, 1st Bow Section From Rear
49GJL	SAFETY EQUIPMENT Evacuation Aid; 18 Sq Ft, Vinyl Sheet with Metal Hooks at each Corner, Used as Slide for Emergency Evacuation
49GLA	REFLECTORS, SIDE, INTERMEDIATE (2) 3" Amber, 1 Each Side, Mounted with Screws, Below The Third Rub Rail From the Top
49GLG	REFLECTORS, SIDE, REAR (2) 3", Red, Mounted with Screws
49GLM	REFLECTORS, SIDE, FRONT (2) 3", Amber; 1 Aft Drivers Window Left, 1 Aft Entrance Door Right, Mounted with Screws
49GLP	REFLECTORS, REAR (2) 3", Red, Mounted with Screws
49GMM	INTERLOCK, LIFT for FMVSS Wheel Chair Interlock Requirements; Key Off, Lift Door Must be Open before Lift can be Activated, w/ Key in "On or Accessory" Position, Park Brake Must be Applied, Transmission in Neutral, Lift Door Must be Open Before Lift Can be Activated, w/ Automatic or Precision Transmissions
49GUM	INSPECTION PLATE Fuel Sending Unit 8" x 8" Steel
49GVC	MUD FLAPS, REAR WHEELS (2) Rubber; Behind Rear Wheels
49GWW	WINDSHIELD WASHER Kit; 6 Quart Capacity, Bottle
	<u>Includes</u> : WINDSHIELD WASHER ELECTRICAL CONNECTIONS Sealed and Locking Type
49GZX	FUEL FILLER PIPE Neck Cap and Vent Hosing for Use with Right Side Fill 65 Gal, Between the Rails Fuel Tanks
49HAY	STORAGE COMPARTMENT, BELTS (4) for Sure Lok Wheelchair Belts, Mounted to Wall
49HES	MIRROR, BRACE, EXTERIOR Telescoping for Breakaway Bracket
49HGG	TRACK, FLOOR LENGTHS 401"-450", with Full Shoulder Track
49JAC	DEF FILLER DOOR with Non-Locking Latch
49JBG	TRACK, TYPE (BRAND) (OMNI L Track)
49JBS	LIGHTS, CLUSTER (Sound Off) Oval, 4 Internal LEDs per Light; Amber Front and Red Rear
49JBU	LIGHT, ENTRY DOOR (Sound Off) LED; 4" Oval; Light Mounted in Skirt Behind Entrance Door, Wired To Step Light

**Vehicle Specifications**  
**2020 INTEGRATED CE S BUS (PB105)**

**November 13, 2018**

<b>Code</b>	<b>Description</b>
49JBV	LIGHT, LICENSE PLATE (Sound Off) LED, with Mounting Gasket
49JBW	LIGHT, STEP (Sound Off) 4" Round LED, White, Wired to Clearance Lights, Operated by Entrance Door
49JCE	TIE DOWN, WHEELCHAIR (Sure-Lok AL812S-4C-7) Titan System, (04) Forward Facing, 50" Floor Space Front To Rear Required, Tie Down Only
49MZS	FUEL FILLER DOOR Non-Locking, Lever Latch, Spring Loaded to Hold in Open Position
49MZV	LATCH, COMPARTMENT Locking, for Overhead Storage Compartment
49NAB	LIFT, WHEELCHAIR (Braun Model NCL1000FIB3451 Gen 2) Power Pack Mounted Forward of Lift
49NGJ	LIGHTS, WARNING (8) (Sound Off) (4) 7" Round Red Strobing LED and (4) 7" Round Amber Strobing LED, 2 Front, 2 Rear Each Color
49PTB	LIGHTS, DIRECTIONAL, SIDE (Sound Off) Rectangular LED Armor Type, Amber, 1 Each Side, Second Bow Section Aft of Entrance Door Between 2nd & 3rd Rub Rail
49UBZ	STATE OF OPERATION Texas
49ZNC	LIGHTS, BACK UP (2) (Sound Off) 4" Round, White, LED, with Flange
49ZNG	LIGHTS, STOP & TAIL ADDITIONAL (2) (Sound Off) 4" Round LED, Red, with Flange
7752525809	(2) TIRE, FRONT 255/70R22.5 Load Range H AH37 (HANKOOK), 562 rev/mile, 75 MPH, All-Position
7752525809	(4) TIRE, REAR 255/70R22.5 Load Range H AH37 (HANKOOK), 562 rev/mile, 75 MPH, All-Position
OBD001	BODY PLAN, SPECIAL NEEDS USE DEALER DRAWING LHORN 1735A

**Services Section:**

40126	WARRANTY Standard for CE, RE, BE School Bus Models, Effective with Vehicles Built March 1, 2017 or Later, CTS-3304H
40KMA	SERVICES, TOWING (Navistar) Service Call to 24-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident
40PKZ	SRV CONTRACT, EXT VEH COVERAGE (Navistar) To 24-Month/50,000 Miles (80,000 km), Covers 100% Parts and Labor; Includes Body; Excludes Extending Warranty for Engine, Transmission, Perforation or Corrosion of Cab/Cowl Structure and Paint
49GVN	WARRANTY 5-Year, Limited 11 - 3 POINT SEAT INCENTIVE 126K BTU AIR CONDITIONING, INCLUDES DASH, FRONT AND REAR BULKHEAD AND DRIVERS COOLDOWN VENT, BERGSTROM DOT INSPECTION DEFROST KIT MOTOROLA XPR 5550E TWO WAY RADIO, ANTENNA AND COAX, INSTALLED BEARCOM PRE DELIVERY INSPECTION SET GOVERN SPEED @ 60 MPH 5 CAMERA SE SYSTEM W/MDT CHILD TRACKER, INSTALLED LHB

**Financial Summary**  
**2020 INTEGRATED CE S BUS (PB105)**

November 13, 2018

<u>Description</u>	(US DOLLAR)	<u>Price</u>
Net Sales Price:		\$216,528.00

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an IC Corporation vehicle.

\*\*\* PRICE PER VEHICLE: \$108,264.00 \*\*\*

\*\* PRICE FOR TWO (2) VEHICLES: \$216,528.00 \*\*

PRICE DOES NOT INCLUDE BUY BOARD FEE \$800 PER PURCHASE ORDER, PLEASE ADD IF APPLICABLE.

Approved by Seller:

Accepted by Purchaser:

\_\_\_\_\_  
Official Title and Date

\_\_\_\_\_  
Firm or Business Name

\_\_\_\_\_  
Authorized Signature

\_\_\_\_\_  
Authorized Signature and Date

**This proposal is not binding upon the seller without Seller's Authorized Signature**

\_\_\_\_\_  
Official Title and Date

The TOPS FET calculation is an estimate for reference purposes only. The seller or retailer is responsible for calculating and reporting/paying appropriate FET to the IRS.







**Rush Bus Center - Dallas TX**  
 4000 Irving Boulevard  
 Dallas, TX 75247

## Customer Proposal Letter

College Station  
 9403 Rock Prairie  
 College Station, TX 77840  
 979-764-5400

Quote 170915

Thank you for the opportunity to earn your business. We look forward to working with you on your business needs. Please accept the following proposal.

### VEHICLE

Make Blue Bird Model BBCV2610S Year 2020 Stock Number To Be Determined  
 Additional Vehicle and Accessories Description \_\_\_\_\_ To be delivered on or about \_\_\_\_\_

Quantity	2	Total
Truck Price per Unit	<u>\$110,330.00</u>	<u>\$220,660.00</u>
F.E.T. (Factory & Dealer Paid)	<u>\$0.00</u>	<u>\$0.00</u>
Net Sales Price	<u>\$110,330.00</u>	<u>\$220,660.00</u>
Optional Extended Warranty(ies)	_____	_____
State Sales Tax	_____	_____
Buy Board Fee / Contract 549-17	_____	<u>800.00</u>
Administration Fee	_____	_____
Vehicle Inventory Tax	_____	_____
Additional Taxes	_____	_____
Tire Recycling Program	_____	_____
Battery Disposal Fee	_____	_____
Out of State Vehicle Fee	_____	_____
Rebate(s)	_____	_____
Total Sales Price (Including Rebate(s))	<u>\$110,330.00</u>	<u>\$221,460.00</u>
Trade Allowance (see DISCLAIMER Below)	_____	<u>\$0.00</u>

Sales Representative John Roch

Purchaser \_\_\_\_\_ signature \_\_\_\_\_ printed name \_\_\_\_\_

Accepted by Sales Manager or General Manager \_\_\_\_\_ signature \_\_\_\_\_ printed name \_\_\_\_\_

Quote good until **1/15/2019** Note: The above Customer Proposal is a quotation only. Sale terms subject to approval of Sales Manager of Dealer.

DISCLAIMER: Any order based on this Proposal subject to Customer executing Dealer's standard form Retail Purchase Order incorporating above terms. Any documentary fees, state tax, title, registration and license fees subject to adjustment and change. Actual F.E.T. to be paid by Dealer, subject to adjustment. Any F.E.T. variance will be responsibility of Dealer. Manufacturer has reserved the right to change the price to Dealer of any vehicle not currently in Dealer's stock, without notice to Dealer. If Quoted Vehicle(s) not currently in Dealer's stock, Dealer reserves right to change Quotation Total to reflect any price increases from Manufacturer. This Proposal is based upon Dealer's current and expected inventory, which is subject to change. Dealer not obligated to retain any specific vehicles in stock, nor maintain any specific inventory level. Dealer shall not be obligated to fulfill Proposal in event quoted vehicle(s) not in stock or available within requested delivery schedule at time Proposal accepted. Dealer shall not be liable for any delay in providing or inability to provide Quoted Vehicle(s), where such inability or delay is due, in whole or in part, to any cause beyond the reasonable control of Dealer or is without the gross negligence or intended misconduct of Dealer. Above listed Trade Value based upon current appraisal of Trade Vehicle(s). Dealer may adjust Trade Value of Trade Vehicle(s) to reflect changes in condition and/or mileage of Trade Vehicle(s) between date of current appraisal and acceptance of this Proposal by Customer.



www.rushbuscenters.com

## 53 Passenger School Bus



### College Station ISD – Quote 170915


This quoted bus meets or exceeds all 2018 State of Texas Specifications for School buses as published by the Texas Department of Public Safety.

#### Chassis Specifications

- Cummins B6.7L diesel engine 220 HP @ 520 ft-lb
- 2017 Emission compliant
- 15 Gal. DEF tank
- Road Speed governor set at 65 MPH
- Left side exhaust through rear bumper
- 217" Wheelbase
- Allison PTS 2500 Automatic Transmission 5 Speed
- Dual air brakes w/ABS, auto slack adjusters, and Bendix air dryer.
- 60 Gal. Fuel tank located between the frame rails
- 325 Brushless Amp Alternator
- (3) Group 31 batteries; 2100 CCA located in skirt battery box with roll out tray
- Cruise Control, Tachometer, High idle switch, Hourmeter, Voltmeter, Digital clock
- Tilt/Telescopic power steering
- 255/70Rx22.5 Cooper, LRH, Tires
- Black steel 10-stud disc wheels 7.5 x 22.5
- Steel reinforced front & rear bumpers; black
- 12K Front axle / 21,000# Rear axle; 5.29 axle ratio
- Front and rear oil lubed bearings
- Hendrickson variable tapered front springs
- Hendrickson air ride suspension rear
- Daytime running lamps
- Intermittent windshield wipers w/one gal. reservoir
- Tow hooks front and rear

#### Body Specifications

- 53 Passenger capacity seated for 38 passengers
- 2020 Blue Bird Vision BBCV 2610 School Bus
- Meets Colorado Rack & Load requirements
- 77" Headroom
- Continuous one-piece roof bows, no welds
- All steel body construction.
- Complete fiberglass insulation
- Acoustical ceiling panels in first two sections
- First aid kit, body fluid clean-up kit, 5lb. Fire extinguisher, Triangle warning devices, 112 db backup alarm, 2 belt cutters & EVAC AIDE Blanket
- Ext. electrical access under driver window; locking
- Passenger dome lamps each side above windows
- Driver dome on separate switch
- LED clearance/marker/ID, backup, rear turn signals, & brakes. Strobing LED warning lamps
- Skirt mounted boarding light. Stepwell lamp. Side body amber turn signals
- Pre-trip ext. light test / Post trip Child reminder
- Accessory power socket w/cap
- Dual stop arms with two red LED lamps
- Interior mirror w/ adjustable visor
- Rosco remote controlled rearview mirrors & Crossview mirrors
- Left & right side hand rails at entry
- Outward opening entrance door
- Rear emergency door with buzzer
- Spring loaded fuel filler door
- (2) Roof hatches / (4) Push-out windows w/buzzers
- Four piece flat, shaded & tinted windshield
- Light tint laminated driver's window with latch
- Split sash aluminum frame laminated windows
- 3 Point Lap/Shoulder seat belts for all passengers
- School bus seats w/fire-block upholstery
- Suspension driver seat; w/ high visibility orange 3 pt. seatbelt
- Driver's console to left of driver
- LH Armrest with driver storage on console
- Three step "bolt-in" stepwell w/pebble tread rubber
- Plywood sub floor
- Rubber floor covering; ribbed aisle w/ trim
- Full reflective material package excluding bumpers
- (4) Rub rails painted black
- National School Bus Yellow exterior paint
- White interior paint
- 90,000 BTU Front heater/defroster
- Mud flaps on front and rear



Warranty: [5 year/100,000 mile warranty](#) on body shell, paint adhesion, seat frames & engine. [7 year Allison Transmission warranty](#)

## Included Optional Items

1. COLLEGE STATION I.S.D. lettering 6" black block style long lasting vinyl
2. Modesty panel on LH and RH barriers
3. Cup Holder located in dash to right of driver.
4. Overhead driver interior storage above driver window; locking
5. Driver fan with 2 speed rocker style switch. Located upper left of windshield.
6. Dual switch operated interior dome lamps control front and rear domes independently.
7. AM/FM/CD/USB/MP3/BT/PA stereo with eight interior speakers and handheld mic
8. Electric operated dual LED stop arms
9. 10 x 30 interior mirror
10. All exterior mirrors are heated with 15 minute timer.
11. Air operated entrance door
12. Keyed vandal lock on entrance door and slide bolt lock w/starter interrupt on rear emergency door.  
Slide bolt lock with buzzer lift door.
13. Locking fuel filler door
14. Dark tint laminated side, rear, lift door & rear door glass. Light tint laminated entrance door and driver's window.
15. Blue fire-block upholstery on barriers and seats
16. Blue Bird [Next Gen](#) 3pt. lap/shoulder belt convertible seats w/built-in headrest
17. Tilt up seat cushions for easy cleaning throughout passenger compartment
18. All seats include two integrated child restraint positions with 4 point harness per seat; total 24 CRS positions. Seat includes 3 point lap shoulder belts.
19. Air operated driver's seat blue with cloth insert, RH armrest and lumbar support
20. Braun 1000# capacity fully automatic w/ 34" x 51" platform compliant w/ FMVSS 403 & 404 mounted at right rear of bus. Includes additional interlock safety belt. *(includes all TX Spec required special needs equipment)*
21. Four positions using 4 channel flush mounted "L" track, two positions at left rear of bus and two position on right in front of lift. Four track mounted seats over two wheelchair positions. *(see floor plan)*
22. Four sets of Sure-Lok Titan series AL712S-4C-7 wheelchair and occupant restraint systems
23. 3/4" Treated plywood sub floor
24. Flat floor design
25. Tan rubber floor covering in lieu of black with ribbed aisle
26. White painted roof
27. Silver painted grille
28. 80,000 BTU rear heater with constant torque hose clamps

## Dealer Added Options

1. Bergstrom AC system with front & rear in-wall evaporators plus in dash. Dual TM21 or Sanden Enhanced compressors.
2. Motorola 2-way XPR5550E
3. Seon camera system with wireless download option, MDT, and Child Tracker.  
Camera 1: Front facing rear  
Camera 2: Rear facing front  
Camera 3: Center ceiling mid-ship facing rear  
Camera 4: Facing loading door/stepwell area  
Camera 5: Dash thru windshield
4. DOT inspection
5. Delivery to customer

## Optional Items (not included)

Section 547.701(e) of the Texas Transportation Code, as amended, is effective September 1, 2017. 2018 model or newer School Buses & Multi-Function School Activity Buses operated after the effective date may require Three-Point Seat Belts in order to comply with the statute. Customers MUST provide Rush Bus Centers with resolution documentation & written board approval to request OPT OUT provision if ordering buses without three-point seat belts. **Quoted pricing includes the cost of three-point seat belts for all passengers.**



# Customer Quotation

**Prepared For:**  
COLLEGE STATION ISD  
1812 WELSH AVE  
COLLEGE STA, TX 77840

**Prepared By :**  
Jay Vinson  
936.465.4887  
jay.vinson@strthomas.com

**Quote Number:**  
349990

**Quote Date:**  
11/27/2018

**Customer Order No:**  
College Station Sped

**Model Profile: Saf-T-Liner C2 221TS \*\*SB693 COMPLIANT\*\***

<b>Product Type:</b>	School Transportation
<b>Year:</b>	2020
<b>Chassis Model:</b>	B2 106
<b>Chassis MFG:</b>	FLNER
<b>GVWR:</b>	GVWR
<b>Passenger Capacity:</b>	34
<b>Headroom:</b>	78
<b>Wheelbase:</b>	199
<b>Brake Type:</b>	AIR
<b>Engine Type:</b>	HIGH TORQUE CUMMINS B6.7 220 DIESEL, 6 Cyl, 220 HP/600 FTLB
<b>Fuel Type:</b>	DIESEL
<b>Fuel Tank Capacity:</b>	60
<b>Transmission Type:</b>	ALLISON 2500 AUTOMATIC
<b>Axle, Front:</b>	10000-lb Capacity
<b>Axle, Rear:</b>	17500-lb Capacity
<b>Tires, Front:</b>	HANKOOK AH37 255/70R22.5 16 PLY RADIAL FRONT TIRES
<b>Tires, Rear:</b>	HANKOOK AH37 255/70R22.5 16 PLY RADIAL REAR TIRES
<b>Suspension Front:</b>	9000-lb Taperleaf
<b>Suspension Rear :</b>	23000-Airliner

**\$99,995.00**

**Total for 1 complete unit(s):**

**Includes the Following Equipment:**

**BODY**

**ACCESSORIES**

- 1 LOCKS-KEYED ALIKE #CH545
- 1 LOCK-DR INT STOR OVR DRVRSHDR

**CERTIFICATION/SAFETY**

- 1 REFLECTTAPE-RR END YEL 2"
- 4 REFLECTTAPE-P/O WDO YEL
- 1 REFLECTTAPE-SI LIFT DR 50" YEL
- 1 REFLECTTAPE-EMER DR RR YEL
- 1 REFLECTTAPE-SI 2" ABV FLR YEL
- 1 FE-5 3A-40BC
- 1 REFLECTORS-AMBER(4) MID/FRT 3"
- 1 REFLECTORS-RED (4) RR/RR SI 3"
- 1 HATCH-RF ESC MODEL 1900 ENG(2)
- 1 HANDLES-W/S SERVICE, PAINTED
- 1 KIT,FIRST AID 24 UNIT TEX.
- 1 KIT,BODYFLUID CLEANUP NAT.MIN.
- 1 LABEL-PASS ADVISOR INSTRUCTION
- 1 LOC-VEST.FLR.PLT.LEFT 5LB FE
- 1 LOC-VEST.FLR.TRIANGLE BRACKET
- 1 CUTTER-SEAT BELT W/HAND GRIP
- 1 BLANKET-EMER EVAC TRANSPORTER
- 1 TRIANGLES-REFL. 3 W/BOX
- 1 BRACKET,MTG. REFL. TRIANGLES
- 1 LOC-EMER BLANKET STREETSIDE RR

- 1 OPEN VIEW - ES, HEATED, REMOTE
- 1 MIR-B EXT.CROSSVIEW BLK.BRKT
- 1 SIGN-STOP, AIR FRT #2900-1C
- 1 SIGN-STOP, AIR RR #2901C
- 1 MIRROR-INT 6"X30" W/ RBR EDGE
- 1 LABEL(S)-SPECIAL DATA, TX
- 1 LABEL-VEHICLE CERTIFICATION

### **DOORS**

- 1 STEP-RS ALUM.ENT.DR 8.75"RISER
- 1 HANDLE-INT RR DR BLACK
- 1 HANDLE-EXT RR DR W/REC
- 1 VANDALOCK-REAR DOOR W/BOLT
- 1 DOOR-ENT AG2 TINT LAM LOCK
- 1 PWR SYST.-AG2 AIR.ENT.DR.
- 1 ELEC-AG2 AIR OPER ENTRANC DOOR
- 1 VANDALOCK-ALUM.ENT.DR.CYLINDER
- 1 PULL-ENTRANCE DOOR, EXT. ALUM.
- 1 DOOR-SI LIFT RS RR 50" OPG
- 1 VANDALOCK-SI DR W/BOLT 50"
- 1 THRESHOLD 50" LIFT DOOR
- 1 KEY-VANDALOCK REAR DOOR NONE
- 1 TRIM-ENTRANCE DOOR INTERIOR
- 1 HEADER-50" REAR LIFT DR NO ADA
- 1 PAD-DR HEADER, SI EMER 50"W
- 1 PAD-DR HEADER, RR EMER 36"W
- 1 TRED-STEP ALU ENT DR BK KOR PE
- 1 TRIM-STPWLL HORIZ W/RIBB NOSE
- 1 RAIL-ASSIST FRT ENT DR RS 1"OD

### **ELECTRICAL - BODY**

- 1 FAN-CIRC DRV'S WDO HDR BLACK
- 1 ELEC-FAN DRV'S WDO HDR
- 1 RADIO-NOT PRESENT
- 1 OPER-AUTO FAST IDLE
- 1 ELEC-ZONAR STANDARD MONITORING
- 1 ELEC-PWR CELL PHONE OUTLET LS
- 1 OPER-DOOR AIR ENT.W/ BAT.2 POS
- 1 ELEC-EMER/EXIT DR FMVSS COMPLI
- 1 ELEC-HARDWARE FRT LIFT PUMP
- 1 MONITOR-LPS WARN NONE
- 1 LPS-DOME OVER DRIVER
- 1 LPS-DOME PASS MEDIUM ( ) 221T
- 1 ELEC-PASS DOME LPS MEDIUM 221T
- 1 MODULE-PWR.DIST.ELEC.SYS.
- 1 SWITCH-ROCKER PANEL LPS DIMMER
- 1 LPS-EXT 50" LIFT DR.SKIRT.MTD.
- 1 LAMP-EXT AFT OF ENTRANCE DOOR
- 1 ELEC-LPS EXT AFT OF ENT DOOR
- 1 OPER-STPWLL LPSW/PARKLPS&ENT D
- 1 LPS-STPWLL W/O HOOD (1)
- 1 LPS-INT LIFT DOOR RS
- 1 LPS-STP/TAIL/DIR AMBER/REV LED
- 1 ELEC-LPS STOP/TAIL/TURN/REV
- 1 ADVISOR-PASS BUZ.ACT W/SWITCH
- 1 ELEC-PWR, GND, NETWORK, BUZZ
- 1 LPS-PILOT W/C LIFT POWER GRN
- 1 LPS-PILOT LIFT DOOR RED
- 1 LPS-PILOT POST TRIP INSP RED
- 1 LPS-SI DIR AMBER FRT. LED PIN
- 1 ELEC-LPS SI FRT DIRECTIONAL ON
- 1 LPS-WARNING LED STROBE (8)
- 1 OPER-LPS WARNING (8) PKG 2
- 1 OPER-LPS REV.W/RR EMG.DR.OPEN
- 1 LPS-ID AMB/RED LED
- 1 LPS-MKR ROOF FRT/RR LED PIN

- 1 LPS- STOP/TAIL 4" FLS.MT L.E.D
- 1 SWITCH-RKR NOISE SUPPR ON/OFF
- 1 OPER-HTR BOOSTER PUMP AUTOMATI
- 1 OPER-LIFT SPCL NEEDS BATT/IGN
- 1 LPS-PILOT WARN LGTS RED
- 1 LPS-PILOT WARN LGTS AMBER
- 1 SWITCH-ROCKER A/C FAN SPEED
- 1 ELEC-CABLE PRIM PWR & GND-CUST
- 1 OPER- LPS SIDE DIRECT,ONLY
- 1 BLOCK-FUSE CUSTOMER ACCESS
- 1 OPER-WARN RED "ON" LIFT DOOR
- 1 OPER-PRE-TRIP INSPECTION
- 1 ELEC-SEAT BELT PILOT LAMP
- 1 OPER-SEAT BELT PILOT LAMP
- 1 LAYOUT-ROCKER SWITCH STANDARD
- 1 ELEC-AIR STOP SIGN FRT
- 1 OPER-MIRRORS EXT HTD. W/15 MIN
- 1 DOME LPS - MEDIUM
- 1 ELEC-HTR U/ SEAT POS.17
- 1 112DB BACKUP ALARM

### **EXTERIOR**

- 1 FLAPS-MUD, REAR 22.5"W
- 1 FLAPS-MUD, FRONT 16"W X 12"H
- 1 STEPS-EXT W/S SERVICE
- 1 FENDER-QUARTER 24" BATTERY BOX
- 1 BODY ADJ-FTL, BTR LS FFLOC
- 1 REINFORCEMENT-FRAME 24" BAT DR
- 1 CAP-ENTRANCE DOOR STANDARD
- 1 RAIL-EXT GRD 50" W/ DOOR (1)
- 1 BUMPER-RR 2 BRACES NO EXH HOLE
- 1 DOOR-U/B L BATTERY 24"
- 1 DOOR-FUEL FILL ACC BTR
- 1 FENDERETTE-STL FLAT FLR 21"
- 1 LATCH-BATT DOOR NON-LOCKING
- 1 LATCH-FUEL FILL ACCESS (THUMB)
- 1 VENT-STATIC PRESENT
- 1 PILASTER - 221T, 306
- 1 LATCH-NON-LOCKING DEF ACC DOOR
- 1 RAIL-SNOW RAIL PRESENT
- 1 HARDWARE-MOUNTING CLIPS STD
- 1 REINFORCEMNT-BRAUN 1000LB R/C

### **HVAC**

- 1 AC-126K BTU-FREE BLOW BULKHEAD
- 1 AIR COND CONTROLS-STANDARD
- 1 CONDENSER- CM3 (2)
- 1 EVAP - IW10 RR, IW4 FRONT
- 1 EVAP TRIM-INT(2) IW10, IW4
- 1 PLUMB.-AC COMP DUAL ISB
- 1 AC CTL.BD.STD.TIE IN SGL LOOP
- 1 PLUMBING-IW10, IW4
- 1 CABLE-EVAP 2 FRT BULKHEAD
- 1 HOSE-HTR HIMILER NO W/H POS 17
- 1 CLAMPS-U/SEAT HTR CONST TORQUE
- 1 LOCATION-EVAP NO2 FRONT BULKHD
- 1 HTR-RS 84,000 BTU RR FLR.
- 1 GRILLE-UNDERSEAT HEATER 84K
- 1 DUAL TM21 AC COMPRESSORS
- 1 PLASTIC COOLANT BOOST PUMP AUT
- 1 HEATER, DEFROSTER,AND AIR COND
- 1 BODY BUILDER SUPPLIED PLUMBING
- 1 AUX HTR PLUMB SOLENOID SHUTOFF

### **INTERIOR**

- 1 VISOR-W/S SUN 6"X30" TINTED
- 1 DOOR-STORAGE BOX W/O GLASS

- 1 TRIM-LOWER REAR HEATER NO A/C
- 1 WHEELHOUSES-REAR L&R OMIT
- 1 REINF-SIDE DOOR JAMB REAR END
- 1 REINF-RR END A/C EVAP. IW10
- 1 REINFORCEMENT-RR STOP SIGN 40"
- 1 REINF-FRONT A/C EVAP.
- 1 LATCH-DR INT STOR OVR W/S NONE
- 1 BTR FUEL FILL RECESS, W/DOOR
- 1 BULKHEAD-RR END INT.W-A/C IW10
- 1 COVER-ACCESS RR END HARNESS NO
- 1 COVER-TRIM DRVS HDR W/STORAGE
- 1 COVER-TRIM FT END W/S HEADR AC
- 1 STRIPS - AISLE, ALUMINUM 221T
- 1 FLR-BLK VINYL W/13" CTR AISLE
- 1 FLR-PLYWOOD 5/8" 221T
- 1 LININ-SI.INT.W/FLT FLR&LS FUEL
- 1 INSULATION-FT BKHD 2" W/ACRSY
- 1 H/L-1ST WDO SEC ACOU GRY 221T
- 1 INSULATION - RAFTER CAVITY 221
- 1 ROUTING-PLYWOOD FLR W/LIFT DR
- 1 TUBE-FILL BTR & OVERFLOW HOSE
- 1 CAP-FUEL FILL BTR NON-LOCKING

#### **MISC**

- 1 MANUAL-DRVR'S/MAINT.ENGLISH
- 1 APPLICATION - SCHOOL
- 1 SAF-T-LINER C2

#### **PAINT/LETTERING**

- 1 DECAL-UNITED AUTO WORKERS
- 34 LETTERING - 6" HIGH
- 1 LOGO-THOMAS DECALS BLACK
- 1 LABEL-P/O WDO EMER EXIT 2" BLK
- 1 LABEL-ENGLISH AG2.AIR.ENT DR
- 1 SYMBOL-HAND BELOW DRIVER'S WDO
- 1 DECAL-BACKING ALARM
- 1 DECAL-LOW SULFUR FUEL
- 1 LABEL-RR DR EMERG DOOR 2"H
- 1 DECAL-ENT DOOR VANDALOCK ENGL
- 1 LABEL-RR EMERGENCY DR INSTRUCT
- 1 LABEL-"DEF ONLY"
- 1 LABEL-REGEN WARN 10/13 EPA
- 1 HANDLE-INT SI DR BLACK
- 1 HANDLE-EXT SI DR W/REC
- 1 PAINT-EXT HNDLE(S) BLACK
- 1 DECAL-REFL FRT CAP"SCHOOL BUS"
- 1 DECAL-REFL RR CAP "SCHOOL BUS"
- 1 DECAL-"DIESEL"
- 1 PAINT-EXTERIOR ROOF WHITE 221T
- 1 PAINT-EXT WDO AREA SAME AS BOD
- 1 PAINT-EXT GRD RAIL @ WDO BLACK
- 1 PAINT-EXT GRD RAIL@SEAT BLACK
- 1 PAINT-EXT GRD RAIL @ FLOOR BLK
- 1 PAINT-EXT GRD RAIL @ SKRT BLAC
- 1 PAINT-EXT BUMPER REAR BLACK
- 1 PAINT-BLACK TRIM-FT/RR ROOF CP
- 1 DECALS-SIDE ST REFL-SCHOOL BUS
- 1 PAINT-SOLID COLOR YELLOW
- 1 H/L-VEST ACOU,GRY,DRIVER LAMP
- 1 LABEL-AIR CONDITIONING SPEC TX
- 1 PAINT:ONE SOLID COLOR,BASE/CLR
- 1 CAB CLR A:L5898EB SCH BUS YELL
- 1 GRILLE: SILVER N3388H IMRON

#### **SEATS**

- 1 ALERT-S.T.A.R.S. PRESENT
- 1 SEAT BELT - DRIVERS SEAT



- 1 39" BARR-VERT,WALL MT 45"H RS
- 1 39"8DEG BARR-REV. WALL-MT 45"H
- 2 PRO BLU/BLK UPH-45"H RECES BAR
- 1 RAIL-ASSIST FRT ENT DR 38"W
- 1 BACK-NATIONAL DRV'S SEAT
- 1 UPH DR.ST.BLU FAB INST KEV NAT
- 1 PEDESTAL-NATIONAL AIR 2 SHOCKS
- 1 KICKPLATE-MOD.PANEL RS 39" IW4
- 1 RISER-DRIVERS SEAT, NATIONAL
- 11 PRO BLUE/BLACK UPH - S3C SEAT
- 2 S3C 39"LS FLEXIBLE 3/2 WALL MT
- 4 S3C 39"LS FLEXIBL 3/2 WL W/ICS
- 2 S3C 39"RS 3/2 FLEXIBLE WALL MT
- 3 S3C 39"RS-3/2 FLEXIBL WL W/ICS
- 11 S3C WALL MOUNT HARDWARE - C2

### **SPECIAL NEEDS EQUIPMENT**

- 1 SYMBOL-HAND LIFT DR
- 1 SYMBOL-HAND RR EMER DR
- 1 SYMBOL-HAND FRONT BUMPER LS
- 1 LIFT-WHEELCHAR BRAUN NCL1000
- 3 TRACK-OVERHEAD 10" LENGTH LS
- 1 TRACK-OVERHEAD 10" LENGTH RS
- 4 POUCH-STORAGE VINYL SURELOK
- 1 LABEL-W/C TIE DOWN INSTRUCTION
- 4 ALUM TRACK-NON CONT PARA 13"
- 4 RESTR SYS-SURELOK TITAN AL812S
- 1 RETAINER-50"W SI DR CHN & HOOK
- 6 STARS MTG SYS-SYNT SEAT-C2,MIN

### **WARRANTY**

- 1 EXT TOW/RDSIDE 24MO/\$550 CAP

### **WINDOWS/GLASS**

- 1 GLASS-W/S ONE PCE W/TINT BAND
- 1 GLASS-RS FRT STAT TNT LAM
- 1 GLASS-LS FRT STAT TNT LAM
- 1 GLASS-RR STAT TINTED LAMINATED
- 1 FRAME-WDO SPLIT
- 1 FRAME-WDO SPLIT 20"W
- 7 FRAME-WDO SPLIT 30"W
- 1 FRAME-WDO SPLIT 40"W
- 2 WDO P/O VERT LAM TNT LS
- 2 WDO P/O VERT LAM TNT RS
- 1 GLASS-WDO TINT LAM 20"
- 7 GLASS-WDO TINT LAM 30"
- 1 GLASS-WDO TINT LAM 40"
- 1 STOPS-WDO 12"
- 1 GLS-LWR RR DR LAM TINT
- 1 GLS-UPR RR DR LAM TINT
- 1 WDO-DRIVER'S LAM TINT
- 1 GLASS- 50"W SI DR LAM TNT

### **OTHER**

- 1 ELEC-RF ESC HATCH POS 2
- 1 ELEC-RF ESC HATCH POS 7
- 1 ARM ASM-WINDSHIELD WIPER (2)
- 1 ELEC-RF HTCH OR P/O WDO (DASH)
- 1 OPER-FAN DRV'S WDO HDR
- 1 OPER-ALARM BACKING W/REV.
- 1 OPER-RF HATCH BUZZER
- 1 OPER-A/C CONTROL-STD DIGITAL
- 1 LOC-VEST.FLR.PLT.CTR.24 FAK
- 1 LOC-VEST.FLR.PLT.FWD. 10 BFC
- 1 AC DUCT-NOT PRESENT NO SIDE EV
- 1 STRINGER-ROOF 221T
- 1 FRT END FRAME MTG KIT
- 1 REAR END FRAME-28.68"DEEP

- 1 FLOOR-GALVALUME STEEL MID BODY
- 1 LOC-40" RAF SP 7TH 221T
- 1 RS TANK ALERT - NONE
- 1 DOOR ALERT - LS ENT NONE
- 1 TRIM-REAR DOOR
- 1 HINGES-REAR DOOR PIN TYPE
- 1 LATCH-SGL-POINT, RR EMERG DOOR
- 1 STOP-DOOR REAR EMERG, 1-POS
- 1 OPER-VANDLOCK.ENT/EMER DOOR(S)
- 1 HINGES-50"W SI DR PIN TYPE
- 1 LATCH-SGL-POINT,50"W SI DR
- 1 OPER-DR.RR.EMG.W/BUZ
- 1 TRIM-50" SIDE DOOR 40"OPG AFT
- 1 DOOR-LS ENT RS EXIT -NONE REQD
- 1 INT COLOR -50" SI DR GREY
- 1 INT COLOR -RR DOOR GRAY
- 1 DOOR ALERT - RS EXIT NONE
- 1 SWITCH-PAD, ENT.DOOR AIR.
- 1 OPER-DR LIFT W/BUZ/DR.PLT LPS
- 1 DOOR, REAR EMERGENCY
- 1 THRESHOLD REAR EMERGENCY DOOR
- 1 ELEC-DRIVER'S DOME LPS
- 1 SWITCH-RKR DOME LPS ALL
- 1 OPER-SWITCH, PANEL LPS DIMMER
- 1 ELEC-PASSENGER ADVISORY 221T
- 1 OPER-PASS ADV IGN/WARN/BUZZER
- 1 SWITCH-RKR FAN DEFROST L.S.
- 1 BUZZER-SWITCH PANEL 1 TONE
- 1 OPERATION-NOISE SUPPRESSION
- 1 ELEC-LPS WARNING,8 LPS 221T
- 1 OPER-LPS, DOME STANDARD
- 1 OPER-LPS BODY TAIL W/PARK SW.
- 1 LPS-LIC PLATE ILLUMINATION
- 1 ELEC-LPS ID/MKR PARK/SW.221T
- 1 SWITCH-RKR DOME LPS DRVR.ON/OFF
- 1 OPER-DRVR'S DOME LPS ON/OFF
- 1 OPER-LPS INT/EXT R.F. ENT DR.
- 1 OPER-LPS SERVICE BRAKE
- 1 OPER-SW.ID/MARK LPS W/PARK
- 1 OPER-LPS DOME (1)ON/OFF
- 1 OPER-LPS REVERSE
- 1 ELEC-(3) SWITCH BANKS
- 1 SWITCH-RKR W/C LIFT POWER
- 1 SWITCH-WARN.LPS ON/AMB ACT.
- 1 CABLE-EVAP 1 POWER SUPPLY STD
- 1 SWITCH-ROCKER A/C ON
- 1 ELEC-HARNESS COMP ASM 221T
- 1 ELEC-ELECTRONIC COMP ASM
- 1 OPER-LPS DIR./HAZ.
- 1 SWITCH-RKR MIRROR HTR. W/TIMER
- 1 ELEC-MIR A HTD & RC
- 1 PWR SYS-STP SGN AIR FRT & RR
- 1 RAIL-EXT GRD@WDO,ST,FLR,SKIRT
- 1 RAIL-EXT GRD @ SEAT FRT END LS
- 1 RAIL-EXT GRD@ FLOOR, NONE
- 1 TRIM-FRT CAP RS/LS
- 1 PANELS-EXTERIOR REAR
- 1 SHEET-DRIVERS EXTERIOR 20 GA.
- 1 SHEET-UPPER SIDE EXTERIOR
- 1 UNDERCOATING-ASPHALT EMULSION
- 1 HEADERS-WINDOW INTERIOR 221T
- 1 PAINT-EXT ENT DOOR NONE
- 1 PANELS-EXT RR SIDE LONG PANEL
- 1 ELEC-AIR STOP SIGN RR
- 1 ROOF SHEETS-(2) HATCH - 221T

- 1 PANELS-RR END INT RR GALV.
- 1 PANEL-RR END INT SI LONG SOLID
- 1 PANELS-ACCESS RR GRAY PASS ADV
- 1 COVER-HARNESS ACCESS@HDR
- 1 COVER-ACCESS FRT END HARNESS
- 1 COVER-TRIM FT ENT,ALUM.DR AIR
- 1 H/L-REAR LONG SMOOTH, GRAY
- 1 FLOOR-BLACK WHEELHOUSE OMIT
- 1 COVER-FUEL SENDING INSPECTION
- 1 MOLDING-SHOE 221T
- 1 SWITCH-ROCKER HEATER REAR WALL
- 1 CABINET-TOP PLATE (3 BANK)
- 1 INSULATION-VEST HEADLINING 2"
- 1 INSULATION-SIDELINING 2" POLY
- 1 INSULATION-RR BULKHEAD 2" POLY
- 1 OPER-HTR REAR WALL/R,S,RR.FLR
- 1 HEADERS-WINDOW EXTERIOR, 221T
- 1 LOCATION-EVAP NO1 RR BULKHEAD
- 1 HARNESS COVER COLOR - GRAY
- 1 HEADLINING COLOR - GREY
- 1 HDLINING TYPE-1ST WDO ACOUSTIC
- 1 MAT, FLOOR VESTIBULE
- 1 TRIM-INTERIOR DASH FORWARD
- 1 CONN-HTR HOSE KIT @ BTR L.S.
- 1 INSTALLATION-PARK BRK NONE
- 1 INSULATION-INT LONG REAR END
- 1 PLATE-ACCELERATOR
- 1 OPER-WDO P/O
- 1 VANDLK,START DISABLE-EMER DR
- 1 LOWER RADIATOR GUARD
- 1 REINFORCED NYLON FUEL LINES
- 1 SGL SUCTION & RETURN FUEL LINE
- 1 FUEL TANK MTD BTR AFT RR AXLE
- 1 REMOTE MOUNTED SURGE TANK
- 1 WIRING SCHEMATIC,UNMNT 12V GRD
- 1 PAINTED BATTERY PANEL COVER
- 1 BATTERY BOX FRAME MOUNTED
- 1 INTEGRAL ELEC TURN SIGNAL FLAS
- 1 BATT ENA 3 AMB INBOARD,2 OUTBD
- 1 LED WARNING SYS LAMPS W/PULSE
- 1 STD BDY VISL WARN,REV LM,DR OP
- 1 STANDARD WIRING
- 1 DR'S IGN OPER DOME W/ON/OFF SW
- 1 PASS COMPT DOME LAMPS-IGN ACTI
- 1 PASS COMP DOME LPS,SINGL ON/OFF
- 1 OVER DOOR LAMP,RH EMER/LIFT DR
- 1 STPWELL LMP ON-DR OPEN-MARK ON
- 1 8-LMP WARN SYS,LH DASH, PKG 2
- 1 SHIFT LEVER, CABL LINK, AUT TR
- 1 DRIVELINE GUARD
- 1 NON-ASBESTOS FRT BRAKE LININGS
- 1 FRONT SHOCK ABSORBERS
- 1 NON-ASBESTOS REAR BRAKE LINING
- 1 NO DRIVELINE PARKING BRAKE
- 1 2 QT SEE THRU PWR STEERING RES
- 1 POWER STEERING PUMP
- 1 ZINC PLATE HEXHED CHASSIS FAST
- 1 2900MM (114")RR FRAME OVERHANG
- 1 SQUARE END OF FRAME
- 1 BUMPER MNT SGL LICENSE PLATE
- 1 COMBINATION S/T/T/R LAMPS, LED
- 1 RR EMER DR,IGN CTRL,BZ ON W/DR
- 1 MAINT-FREE RUBBER BUSH FRT SUS
- 1 CAB MOUNTING HOOD/COWL CHASSIS
- 1 MAN ENT DR LOCK/BUZZ W/EMER

- 1 ONE GALLON W/S WASHER RESERVOR
- 1 BLK HOOD MTD AIR INTAKE GRILLE
- 1 SINGLE ELEC W/S WIPER MTR W/DE
- 1 GRAY/CHARCOAL FLAT DASH
- 1 AUX BODY HTR, UNDERSEAT, RR WALL
- 1 STANDARD HVAC DUCTING
- 1 MAIN HVAC CTLS W/RECIRC, & NOIS
- 1 DR FAN, (1) MTD ABOVE SIDE WDO
- 1 DIGITAL AUX BDY MT AC CONTROL
- 1 GRAY INSTRUMENT PANEL-DRIVER
- 1 BODY SUPPLIED HTD MIRROR TIMER
- 1 PROVISIONS-AIR DRS SEAT
- 1 ROOF MOUNTED VENT/ESCAPE HATCH
- 1 PO BODY SIDE WDO, BUZ WDO UNLAT
- 1 SEP PANEL LAMP DIMMER, LH DR
- 1 CHASSIS COWL AND HOOD ONLY
- 1 BUMPER: BLACK
- 1 CHASSIS: VENDOR BLACK
- 1 EXPECTED GROSS VEHICLE WGT CAP
- 1 EXPECTED FRONT AXLE(S) LOAD
- 1 EXPECTED RR DRIVE AXLE(S) LOAD
- 1 SCHOOL BUS SERVICE
- 1 COWL CHASSIS CONFIG - SBMTC
- 1 BUS BODY WITHOUT WHEELWELL
- 1 PASSENGER COMMODITY
- 1 100% ON-HIGHWAY (CITY) TERRAIN
- 1 DOMICILED USA 50 STATES (CAL)
- 1 TX
- 1 THOMAS BUILT SCHOOL BUS 221T

## **CHASSIS**

### **AXLES AND SUSPENSIONS**

- 1 ALIGNMENT-4-WHEEL C2
- 1 SPL100 DANA SPICER MAIN DRIVE
- 1 DA-F-10-3 10K 71.5 KPI/3.74 AX
- 1 CHICAGO RAWHIDE FRT OIL SEALS
- 1 SYNTH 75W-90 FRONT AXLE LUBE
- 1 CONMET IRON FRONT HUBS
- 1 SYNTH 75W-90 REAR AXLE LUBE
- 1 DA-RS-17.5-4 17.5K R-REAR AXLE
- 1 5.22 AXLE RATIO
- 1 IRON REAR AXLE CARRIER HOUSING
- 1 REAR SHOCK ABSORBERS - 1 AXLE
- 1 CHICAGO RAWHIDE RR OIL SEALS
- 1 CONMET IRON REAR HUBS
- 1 9,000 LB. TAPERLEAF FRT SUSPENS
- 1 AIRLINER 23K REAR SUSPENSION
- 1 COMFORT-TEC SUSPENSION
- 1 DUAL AIR REAR SUSP LEVELING

### **BRAKES**

- 1 AIR BRAKE PACKAGE
- 1 MERITOR 15X4Q+ CAM FRT BRK ROC
- 1 HALDEX LGSTROKE FT BRAKE CHAMB
- 1 MERITOR AUTO FRONT SLACK ADJ
- 1 CONMET CAST IRON FRT BRK DRUMS
- 1 MERITOR 16.5X7Q+ RR BRAKE/SHOE
- 1 HALDEX, L-STROK, AXLE SPR CHAMB
- 1 MERITOR AUTO SLACK ADJUSTERS
- 1 CONMET CAST IRON RR BRAKE DRUM
- 1 STL AIR BR RESRV INSIDE FRAME
- 1 BENDIX AD-9 AIR DRYER W/HEATER
- 1 WABCO 4S/4M ABS W/TRACTION CTL
- 1 VALVE PARKING BRAKE SYSTEM

### **CHASSIS EQUIPMENT**

- 1 EXHAUST-LS TURNDWN, BELOW BMPR

- 1 ANTI-FREEZE, OAT -34 DEGREE
- 1 SHIELD-EXHAUST PIPE
- 1 B2 106 CONVENTIONAL CHASSIS
- 1 SET-BACK AXLE - TRUCK
- 1 ELECTRIC GRID AIR INTAKE WARME
- 1 DELCO 12V 29MT STARTER WITH M
- 1 INTAKE MTD AIR RESTR NO GRADUA
- 1 LH SIDEFILL FUEL TANK CAP
- 1 60 GAL/227 LIT STEL TANK, BTR
- 1 HORIZ TAILPIPE, EXIT LH REAR
- 1 11.5 GALLON DEF TANK
- 1 MAGN ENG DRAIN, RR AXLE PLUGS
- 1 EXHAUST MITIGATION DEVICE FTL
- 1 700 CU. IN. MIN AUX AIR
- 1 PETCOCK DRAIN VALVES AIR TANKS
- 1 ADJUSTABLE STEERING COLUMN
- 1 TRW THP-80 POWER STEERING
- 1 450MM(18") LK 4-SPOKE ST WHEEL
- 1 5050MM (199") WHEELBASE
- 1 5/16" X3"X 10-1/8" STEEL FRAME
- 1 14" STL 1/4" BUMPR JACK PROVIS
- 1 FRT FRAME MOUNTED TOW HOOKS
- 1 REAR TOW HOOKS
- 1 FIBERGLASS HOOD
- 1 PAINTED PLASTIC GRILLE
- 1 ALL LOCKS KEYED THE SAME
- 1 CAB FLR,TOE BRD,FIREWALL HEAT
- 1 (2) CUPHOLDERS, LH & RH DASH
- 1 REINF NYLON,FAB/WIRE AIR LINES

#### **ELECTRICAL - CHASSIS**

- 1 PROG RPM CTRL W A/C OR 12.75V
- 1 CRUISE CTRL-ELEC ENG,W/SWITCHS
- 1 DIAGNOSTIC INTERFACE CONN,9PIN
- 1 IGNITION SWITCH CONTROL ENG ST
- 1 12VOLT POWER SUPPLY LH PANEL
- 1 SOLID STATE CIRCUIT PROTECTION
- 1 (2)ALLIA 1231 GP31 12V 2200CCA
- 1 COLE HERSEE BATTERY CUT-OFF SW
- 1 SELF CANCEL TRN SIG-DIM/WASH
- 1 STD FRONT TURN SIGNAL LIGHTS
- 1 PARK LMP SW INTGRAL W/HL SWITC
- 1 AMBER LED MIDSHIP TURN SIGNALS
- 1 DAYTIME RUNNING LTS SET @ 85%
- 1 INT HL/MARKER ASS W/IGN ALARM
- 1 OUTBRD LAMPS W/LIFT.ACTIVATED
- 1 ELECTRONIC STABILITY CONTROL
- 1 RH LIFT DR,BAT/IGN,BZ ON W/DR
- 1 AIR OP. BATT CTR RH FT ENT DR
- 1 BAT PWD 2-POS INT DOOR CONTROL
- 1 ELE HORN,PASS ADVIS BUZZ W/IGN
- 1 FASTEN SEAT BELT INDICATOR
- 1 LOCATING SYS W/VEHICLE MONITOR
- 1 ELECTRONIC MPH SPEEDOMETER
- 1 ICU3S,132x48 Display w/Diagnos
- 1 TBB ZONAR DASH MOUNTED
- 1 NO INFORMATION CENTER
- 1 PRE/POST TRIP SYSTEM TEST
- 1 ENGINE & HOUR METERS INTEGRAL
- 1 DIGITAL VOLTAGE DISPLAY
- 1 PRIM & SEC AIR PRESSURE GAUGES
- 1 ELECTRIC FUEL GAUGE
- 1 ELECT ENG OIL PRESSURE GAUGE
- 1 ELEC ENG COOLANT TEMP GAUGE
- 1 TRANS OIL TEMPERATURE GAUGE

**ENGINE AND EQUIPMENT**

- 1 CUM B6.7-220 HP @ 2400 RPM
- 1 ANTI-FREEZE TO -34F, OAT
- 1 ENGINE MTD OIL CHECK & FILL
- 1 CUMMINS 18.7 CFM COMPRESSOR
- 1 CUMMINS SPIN ON FUEL FILTER
- 1 STANDARD ENGINE OIL
- 1 FULL FLOW OIL FILTER
- 1 DETROIT F/W SEP W/F SENSOR&PRI
- 1 LN 12V 320 AMP 4962PA PAD ALT
- 1 ALUMINUM FLYWHEEL HOUSING
- 1 STANDARD OIL PAN
- 1 ELEC ENG WARN & DERATE PROT SY
- 1 ADD AUX LINES W/MANIFOLD PLUMB
- 1 GATES BLUE STRIPE COOLANT HOSE
- 1 CONSTANT TORQUE BREEZE CLAMPS
- 1 DONALDSON ONE-STAGE AIR CLEANR
- 1 750 SQUARE INCH DOWN FLOW RADI
- 1 VISCOUS FAN DRIVE
- 1 80 MPH ROAD SPEED LIMIT
- 1 NO IDLE SHUTDOWN CONFIGURATION
- 1 ELECTRONIC TACHOMETER 3000 RPM

**TRANSMISSION AND EQUIPMENT**

- 1 ALLISON 2500 PTS AUTO TRANS
- 1 TRANSMISSION OIL CHECK & FILL
- 1 SYNTHETIC 50W TRANS LUBE
- 1 WAT 2 OIL TRANS COOL-N RADIATR
- 1 PRIMARY MODE GEARS, 6 FORWARD

**WHEELS AND TIRES**

- 1 HANKOOK AH37 255/70R22.5 16PLY
- 1 HANKOOK AH37 255/70R22.5 16PLY
- 1 MAX 90262 22.5X8.25 10HPLT 5HD
- 1 MAX 90262 22.5X8.25 10HPLT 5HD
- 1 TIRE/WHEEL BALANCING-LEAD FREE
- 1 AC PKBLK21 POWD BLK(N0001H)FRT
- 1 AC PKBLK21 POWD BLK(N0001H)RR

**PDI**

- 1 ALERT-ENHANCED STABILITY CONTR

**DEALER ADD On's**

**EQUIPMENT**

- 1 DOT INSPECTION
- SEON 5 CAM SYSTEM WITH MDT CHILD TRACKER INSTALLED
- MOTOROLA XPR 5550E 2 WAY RADIO INSTALLED

Meets all FMVSS requirements in effect at the time of manufacture.

Total for 1 complete unit(s):

\*\*ADD \$800.00 PER PO IF UTILIZING BUYBOARD\*\*

\$99,995.00 per

Quote Expires: 12/27/18

Customer Signature:

Date:

Dealer Signature:

Date:

*\*WARRANTY DOCUMENT WILL BE A SEPARATE ATTACHMENT\**

## Thomas C2 Warranty

**\*Allison Transmission Warranty has been extended to 7yrs/Unlimited Miles on this unit\***

<b>TBB Basic Body (Type C)</b>	<b>3 Years</b>	<b>50,000 mi/80 500 km</b>
<b>TBB A/C System</b>	<b>3 Years</b>	<b>50,000 mi/80 500 km</b>
<b>TBB Manufactured Components</b>	<b>3 Years</b>	<b>50,000 mi/80 500 km</b>
<b>TBB Miscellaneous (Accessories, Compartments, etc.)</b>	<b>3 Years</b>	<b>50,000 mi/80 500 km</b>
<b>TBB Paint</b>	<b>5 Years</b>	<b>Unlimited</b>
<b>TBB Passenger Doors</b>	<b>3 Years</b>	<b>50,000 mi/80 500 km</b>
<b>TBB Seat and Barrier Frames</b>	<b>5 Years</b>	<b>Unlimited</b>
<b>TBB Seats, Barriers, and Stanchions</b>	<b>3 Years</b>	<b>50,000 mi/80 500 km</b>
<b>TBB Storm Glass and Windows</b>	<b>3 Years</b>	<b>50,000 mi/80 500 km</b>
<b>TBB Structure and Sheet Metal</b>	<b>5 Years</b>	<b>Unlimited</b>
<b>TBB Towing</b>	<b>2 Years</b>	<b>Unlimited</b>

<b>Basic Chassis</b>	<b>3 Years</b>	<b>50,000 mi/80 500 km</b>
<b>Battery</b>	<b>1 Year</b>	<b>100,000 mi/161 000 km</b>
<b>Brightwork</b>	<b>6 Months</b>	<b>Unlimited</b>
<b>Corrosion</b>	<b>6 Months</b>	<b>Unlimited</b>
<b>Cowl Corrosion</b>	<b>5 Years</b>	<b>Unlimited</b>
<b>Cowl Structure</b>	<b>5 Years</b>	<b>Unlimited</b>
<b>Crossmembers</b>	<b>5 Years</b>	<b>Unlimited</b>
<b>Diesel Emission 2010<sup>3</sup></b>	<b>5 Years</b>	<b>100,000 mi/161 000 km</b>
<b>Frame Rails</b>	<b>5 Years</b>	<b>Unlimited</b>
<b>GHG14<sup>4</sup> (Light Heavy Duty Trucks)</b>	<b>5 Years</b>	<b>50,000 mi/80 500 km</b>
<b>GHG14<sup>4</sup> (Medium Heavy Duty to Heavy Heavy Duty Trucks)</b>	<b>5 Years</b>	<b>100,000 mi/161 000 km</b>
<b>GHG14<sup>4</sup> Tire (File Direct)</b>	<b>2 Years</b>	<b>24,000 mi/38 400 km</b>
<b>Paint, Chassis</b>	<b>6 Months</b>	<b>Unlimited</b>
<b>Paint, Hood and Cowl<sup>5</sup></b>	<b>5 Years</b>	<b>Unlimited</b>
<b>Towing/Roadside Assistance<sup>6</sup></b>	<b>2 Years</b>	<b>Unlimited</b>
<b>Transfer Case</b>	<b>4 Years</b>	<b>Unlimited</b>
<b>Transmission</b>	<b>5 Years</b>	<b>Unlimited</b>
<b>Front Axle(s)<sup>7</sup></b>		
<b>Detroit (File Direct)</b>	<b>5 Years</b>	<b>Unlimited</b>
<b>Non-Detroit</b>	<b>4 Years</b>	<b>Unlimited</b>
<b>Rear Axle(s)<sup>8</sup></b>		
<b>Detroit (File Direct)</b>	<b>5 Years</b>	<b>Unlimited</b>
<b>Non-Detroit</b>	<b>4 Years</b>	<b>Unlimited</b>