



LONGHORN BUS SALES

6921 Homestead Rd. Houston, Tx. 77028
713-631-9306 Fax 713-631-4634

COLLEGE STATION ISD

Date: February 21, 2012

Body Manufacturer: IC Corp Model: CZ308 2012

Chassis Manufacturer: IC Corp Model: PB 105 2012

Capacity: 47 Pass w/3 w/c position

Price/Unit: \$96,477.00 Number of units: 2 Total: \$192,954.00

<u>Standard Body Specifications</u>	<u>Chassis Specifications</u>
78" headroom standard	Engine: Navistar Maxx DT
Fire resistant seating (14)	Horsepower: 215
Intermittent windshield wipers and washers	Torque: 560 ft-lb
Seat centers on 27" spacing	Wheelbase: 193"
Upgrade First aid kit and body fluid clean-up kit	Alternator: 320 amp High Output
Full Insulation Roof & Sides	Transmission: Allison 2500
Complete body undercoating	Brakes: Full Air Antilock
Fire extinguisher	Front Axle: 8,000#
Rubber flooring throughout Black	Rear Axle: 17,500#
(3) Triangle Reflectors	Tires: 255/75R 22.5H
Aluminum aisle strips	Fuel Tank: 65 Gallon with Barrier
90,000 btu front heater/defrost system	Power Steering
School bus yellow paint	Tilt Steering
Two full rows interior dome lights	Tachometer
Rear view mirror inside (10 x 30)	Warning buzzers
Roscoe Cross Over Mirrors	Auto. Slack Adjusters
Rear view mirrors (2) Roscoe, motorized	Moisture Ejectors
Fan Drivers Defog	Air Ride Suspension
Emergency door buzzer and hold-back device	Battery System 3-12 volt 1950 CCA
State Spec LED light pkg.	Power Source 12V
Three-step riser	Mud Flaps
National hi-back Air Ride driver's seat	
Drivers three point seat belt with retractors	
Two Specialty roof hatches	
Four emergency kickout windows	
Reflectorized stop arm (elec)	
Flat Floor	
Monitor, Post Trip Inspection	
Light, Exterior, Check	

LONGHORN BUS SALES
Confidential Customer Proposal

February 22, 2012

CONFIDENTIAL



COLLEGE STATION ISD
 1812 WELSH
 COLLEGE STATION, TX 77840

Page 1

IC3SS30	47AGK	77				
NAVISTAR	276	AX DT 230 2	AT2500	AIR	DUKE WEST	1
CODE	DESCRIPTION					
CHASSIS						
01CAC	FRAME RAILS, High Strength Low Alloy Steel					
011LE	BUMPER, FRONT Full Width, Aerodynamic, Heavy Duty, Steel					
011NT	CROSSING GATE, Omit					
01SAM	CROSSMEMBER, REAR, AF (2)					
02ADC	AXLE, FRONT, I-BEAM TYPE {International I-100SG} 10,000-lb Capacity					
03ADB	SUSPENSION, FRONT, SPRING Parabolic, Taper Leaf, 10,000-lb Capacity					
04091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications					
04722	DRAIN VALVE, AUTOMATIC {Bendix DV-2} With Heater, for Air Tank					
04AZA	AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel					
04EBS	AIR DRYER {Bendix AD-9} w/Heater					
04JBG	BRAKES, FRONT, AIR CAM S-Cam; 15.0" x 4.0"; Includes 20 Sq. In. MGM					
04NCF	BRAKES, REAR, AIR CAM 16.5" x 7.0"; Includes MGM TR3030 Long Stroke Brake					
04SBC	AIR COMPRESSOR {Bendix Tu-Flo 550} 13.2 CFM					
04VCY	AIR TANK LOCATION Mounted Left Side to Provide Clearance for Larger-					
04WEA	PARKING BRAKE INTERLOCK					
05708	STEERING COLUMN Tilt					
05CAL	STEERING WHEEL, 2-Spoke, 18" Diam., Black					
05PRR	STEERING GEAR {Ross TAS-66} Power (with 10k axle)					
07BDV	EXHAUST SYSTEM SINGLE, HORIZONTAL TAIL PIPE					
07WBL	TAIL PIPE THROUGH BUMPER exist Left side through bumper					
08340	HORN, ELECTRIC (2)					
08QWY	ALTERNATOR, {L-N 14931PAH} 12 Volt 320 Amp. Capacity, Pad Mounted					
08MKL	BATTERY SYSTEM (3) {International} Maintenance-Free 12-Volt 1950CCA Total					
08WPB	HEADLIGHTS Halogen (Running Lights)					
08WFL	STARTING MOTOR DELCO REMY 39MT {w/MaxxForce DT}					
08WWJ	INDICATOR, LOW COOLANT LEVEL					
08XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III With Trip					
09WAB	HOOD SYSTEM - EASY TILT					
09WAY	FRONT END, Tinting Fiberglass					
10788	PAINT TYPE Urethane, One or Two Colors, Other than Intron or International					
12NUL	ENGINE, DIESEL, {MaxxForce DT} EPA 10, 230 HP, 620 lb-ft Torque					
12TSY	FAN DRIVE {Berg-Warner SA-85} Viscous Screw On Type					
12UGN	THROTTLE, HAND CONTROL, Electronic					
12VYN	CRUISE CONTROL, Electronic					
12YWH	GOVERNOR Electronic Road Speed Type; for International Electronic I-6,					
12VYX	2010 EMISSIONS SURCHARGE MaxxForce DT					
12WAK	ENGINE SOUND ABATEMENT PACKAGE Exterior, for International Engines With					
12WYS	EXPANDED ENGINE TEMP EFFECTS					
12WZD	ENGINE COMPLIANCE Engine shutdown system exempt vehicles					
13AMG	TRANSMISSION, ALLISON 2500 5-SPEED W/OVERDRIVE					
13WLN	TRANSMISSION OIL {Castrol TranSynd} Synthetic; 20 thru 28 Pints					
14AGM	AXLE, REAR, SINGLE {Dana Spicer 19060S} Single Reduction, 19,800-lb Ca					
14TBS	SUSPENSION, REAR, AIR, SINGLE 21,000-lb Capacity					
15LKG	FUEL/WATER SEPERATOR, w/Therm Fuel Temp Cntrl Htr & Filter Restr change ind					
15SHU	FUEL TANK 100 Gal Between the Frame Rails - 276" WD					
16HBA	GAUGE CLUSTER, Oil Pressure, Water Temp, Fuel, Tach, Voltmeter - Electronic					
16HGH	GAUGE, OIL TEMP, ALLISON TRAN					
27DMA	WHEELS, FRONT DISC; 22.5" Painted Steel, 10-Stud (285.75MM BC) Hub Pilot					
28DMA	WHEELS, REAR DUAL DISC; 22.5" Painted Steel, 10-Stud (285.75MM BC) Hub					

IC35530	47AGK	77				
NAVISTAR	276	4X DT 230 2	AT2500	AIR	DUKE WEST	1
CODE		DESCRIPTION				
47NJA		PAINT COLOR, BODY EXTERIOR 4421 Yellow, SBNS				
47NJM		PAINT FLASHER BACKGRD 0001 Canyon Black				
47NJS		PAINT COLOR, BUMPER Rear: 0001 Canyon Black				
47NKC		PAINT COLOR, ROOF 9219 Winter White				
47NKL		PAINT, RUB RAIL Flange to Flange				
47NKM		PAINT COLOR, BODY INTERIOR 9384 Spring White				
47NMG		OPERATING INSTR, REAR Decal, Inside Rear Emergency Door				
47NTE		LOGO, ROOF LINE				
47NTY		PAINT HOOD AND FENDER, TO MATCH BODY EXTERIOR				
47NWI		STRIPING, ROOF HATCH, REAR 1" Yellow, 3M Fluorescent Diamond Grade				
47NWJ		STRIPING, SEATLINE, Decal 2", Yellow, 3M Fluorescent Diamond Grade				
47NWR		STRIPING, REAR END 2", Yellow, 3M Fluorescent Diamond Grade				
47NWT		STRIPING, ROOF HATCH, FRONT 1" Yellow, 3M Fluorescent Diamond Grade				
47NWU		STRIPING, K/O WINDOW, RIGHT (02) Perimeter 1" Yellow 3M Fluorescent Diamond				
47NXH		STRIPING, K/O WINDOW, LEFT, (02) Perimeter 1" Yellow 3M Fluorescent Diamond				
47NXX		STRIPING, PERIMETER, REAR, Emergency Door, 1" Yellow 3M Fluorescent Diamond				
47SBB		SUB FLOOR, PLYWOOD, 5/8" B-B Marine Grade 31'2"-34'2				
47SPC		LETTERING - "COLLEGE STATION I.S.D." (40 Characters)				
48ACN		SEAT BELT, DRIVER, COLOR, With Blaze Orange Seat Belt Webbing				
48AME		WINDOW, ENTRANCE DOOR, TOP Laminated, Clear				
48ANM		WINDOW, ENTRANCE DOOR, BOTTOM Laminated, Clear				
48ANT		WINDOW, DRIVER Laminated, Clear				
48APL		WINDOW, STOPS 12" Opening, Only With 78" Headroom				
48AUN		WINDOW, PASSENGER, TINT Conventional; 28% Light, Laminated Glass, 78"				
48BAE		WINDOW, K/O, LEFT (2) Vertical Hinge				
48BJK		COLOR, WINDOW FRAME, PASS (24) Passenger Window, Black Anodized				
48BKP		WINDOW, K/O, RIGHT (2) Vertical Hinge				
48BHC		HEATER, DRIVER 90,000 BTU, with Defroster and Without Rear Heat Duct				
48NAT		FITTINGS, AIR SEAT for Driver Seat				
48PAM		WINDSHIELD 3 Piece Flat, 73% Light WITH BAND				
48PAY		WHEEL POCKET COVER Plastic, ABS				
48PGL		FLOOR COVERING, COLOR Light Tan				
48PHP		UPHOLSTERY, PASS SEATS, TYPE Prevail, 42 oz.; for (23-24) Seats				
48PJR		FLOOR COVERING, TRIM Aluminum				
48PJZ		FLOOR COVERING, TYPE {Koroseal} All Body Lengths				
48PKC		CLAMP, HEATER HOSE Constant Torque for Heater System				
48PNW		HEATER, WATER PUMP (2MPU 12) Self Priming				
48PPM		HEATER CUT OFF, VALVE Ball, With Butterfly Handle				
48PPP		HEATER CUT OFF, VALVE INSIDE Brass Ball, Inside Forward of Driver Heat				
48PPS		ROOF VENT, FRONT Static				
48PVA		UPHOLSTERY, DRIVER SEAT, STYLE Plain, With Cloth Insert				
48PVP		UPHOLSTERY, DRIVER SEAT, COLOR Drivers Seat, Black				
48PWE		UPHOLSTERY, PASS SEATS, COLOR Black, for Seats, Barriers and Head Bumper				
48PWR		UPHOLSTERY, DRIVER SEAT, TYPE Prevail, 42 oz.				
48PXP		UPHOLSTERY, BARRIER, TYPE (1-2) Prevail, 42 oz.				
48RAE		BARRIER, CRASH, AFT ENTRY DOOR 39", 1 Leg				
48RAL		BARRIER, CRASH, AFT DRIVER 39", 1 Leg				
48RDL		FAN, DEFOG LEFT 6.50" Diam., Mid L.R of Dvr Above Windshield,				
48RGE		HAND RAIL, ENTRANCE DOOR, FWD Stainless Steel				
48RGR		HAND RAIL, ENTRANCE DOOR, AFT Stainless Steel, 4", Above Step				
48RYW		SEAT, DRIVER National Air Suspension/Lumbar Cloth Insert				
48RZJ		STEP TREADS {Koroseal} Pebble Top With White Nosing, With Non-Metal Backing				
48SDN		SEAT, PASS, LEFT, 2 LEG, 39" (06)				
48SKH		SEAT, PASS, RIGHT, 2 LEG, 39" (07)				
48UCP		ROOF HATCH, FRONT {Transpec 1975} With Outside Release				
48UCR		ROOF HATCH, REAR {Transpec 1975} With Outside Release				
48USV		SEAT BACK, PASSENGER, High Back				
48UYC		HEATER, REAR WALL, RT SIDE 80,000 BTU				
48WJT		SEAT, CHILD, LT, TRK 39", 6 LEG, {IMMI Seats} (04) H/B, W/Child Restraint Sys				
48XCK		SEAT, CHILD, LT, 39", 2 LEG {BTI Seat} (3) H/B W/Child Restraint Seat				
48XCW		SEAT, CHILD, RT, 39", 2 LEG {BTI Seat} (3) H/B W/Child Restraint Seat				
49A11V		LIGHT, STROBE, STOP SIGN, FRT In Lieu OF Flashing Lights Furnished Wit				

COLLEGE STATION ISD
1812 WELSH
COLLEGE STATION, TX 77840

IC35530	47AGK	77				
NAVISTAR	276	AX DT 230 2	AT2500	AIR	DUKE WEST	1
CODE	DESCRIPTION					
491EY	TRACK, FLOOR LENGTHS, 31-100" W/ SHOULDER TRACK					
491GX	THEDOWN, TRACK TYPE, (SHUR K, FF612-IC-7) Retractable					
491HA	THEDOWN, TRACK, RETRACTABLE, TWO (2)					
49MYH	LIGHTS, WARNING Sound ON & LAMP, LED 7" RED & AMBER Flashing					
49MZV	LATCH, COMPARTMENT Latching, for overhead storage compartment					
49UBZ	STATE OF OPERATION Texas					
49XHP	LIGHTS, STOP, ADDITIONAL, SOUND OFF, AT41S (2) LED					
49XJJ	LIGHTS, BACK UP, SOUND OFF, AT41BC (2) WHITE LED					
PD10500	IC PRODUCT CODE					
SP001	DOT INSPECTION STICKER					
SP002	ICOM TWO WAY RADIO					
SP003	ANGLE TRAX CAMERA W/2 CAMERAS					
SP004	EXTRA COOL, AC CENTER EVAP					
SP12233	AC 126K BTU (2) RE-21, RE-10 EVAPS, (2) RC-30 COND (2) COMP					

TOTAL BUS \$ 106,318.00

DELIVERY 90-120 DAYS APO
MGAC FEE: \$600

Proposed by Seller:

Accepted by Purchaser:

Duke West
LONGHORN BUS SALES

Signature

Duke West
Printed Name February 22, 2012

Official Title and Date